

=> d his nofile

10/516,674

Complete
Search in
SCORE

(FILE 'HOME' ENTERED AT 10:17:50 ON 25 OCT 2006)

L1 FILE 'REGISTRY' ENTERED AT 10:17:56 ON 25 OCT 2006
STRUCTURE UPLOADED

FILE 'STNGUIDE' ENTERED AT 10:18:23 ON 25 OCT 2006

L2 FILE 'REGISTRY' ENTERED AT 10:22:02 ON 25 OCT 2006
STRUCTURE UPLOADED

FILE 'STNGUIDE' ENTERED AT 10:22:14 ON 25 OCT 2006

FILE 'REGISTRY' ENTERED AT 10:52:59 ON 25 OCT 2006

FILE 'STNGUIDE' ENTERED AT 10:53:03 ON 25 OCT 2006

L3 FILE 'REGISTRY' ENTERED AT 10:55:01 ON 25 OCT 2006
STRUCTURE UPLOADED

FILE 'STNGUIDE' ENTERED AT 10:55:13 ON 25 OCT 2006

L4 FILE 'REGISTRY' ENTERED AT 10:56:32 ON 25 OCT 2006
STRUCTURE UPLOADED

FILE 'HCAPLUS' ENTERED AT 10:56:52 ON 25 OCT 2006
E US2004-516674/APPS

L5 1 SEA ABB=ON PLU=ON US2004-516674/AP
SEL RN L5

FILE 'REGISTRY' ENTERED AT 10:57:08 ON 25 OCT 2006

L6 6 SEA ABB=ON PLU=ON (133855-98-8/BI OR 175013-18-0/BI OR
221201-92-9/BI OR 636603-36-6/BI OR 636603-37-7/BI OR 636603-38
-8/BI)
D SCAN

FILE 'HCAPLUS' ENTERED AT 10:57:27 ON 25 OCT 2006

L7 412 SEA ABB=ON PLU=ON L6
E FUNG/CT
E FUNGICIDAL/CT
E E11+ALL

L8 135586 SEA ABB=ON PLU=ON FUNGICIDES+OLD, PFT, NT, RT/CT

L9 221696 SEA ABB=ON PLU=ON (FUNG?)/OBI, BI

L10 384 SEA ABB=ON PLU=ON L7 AND (L8 OR L9)

L11 319 SEA ABB=ON PLU=ON L6 AND (?FUNG?)

L12 384 SEA ABB=ON PLU=ON (L10 OR L11)

L13 225 SEA ABB=ON PLU=ON L12 AND (PY<2003 OR AY<2003 OR PRY<2003)

FILE 'REGISTRY' ENTERED AT 10:59:46 ON 25 OCT 2006

D QUE L1

D QUE L2

D QUE L3

D QUE L4

L14 32 SEA SSS FUL L1

L15 315 SEA SSS FUL L2

L16 227 SEA SSS FUL L3

L17 129 SEA SSS FUL L4

```

        SAVE L14 SAB1/A TEMP
        SAVE L14 SAB2/A TEMP
        SAVE L15 SAB2A/A TEMP
        SAVE L16 SAB3/A TEMP
        SAVE L17 SAB4/A TEMP
L18      1 SEA ABB=ON  PLU=ON  L14 AND L15 AND L16 AND L17

        FILE 'HCAPLUS' ENTERED AT 11:01:18 ON 25 OCT 2006
L*** DEL  182 S L17
L19      1 SEA ABB=ON  PLU=ON  L18

        FILE 'REGISTRY' ENTERED AT 11:01:34 ON 25 OCT 2006
L20      19 SEA ABB=ON  PLU=ON  (L14 AND (L15 OR L16 OR L17)) OR (L15 AND
        (L16 OR L17)) OR (L16 AND L17)

        FILE 'HCAPLUS' ENTERED AT 11:01:55 ON 25 OCT 2006
L21      15 SEA ABB=ON  PLU=ON  L20
L22      16 SEA ABB=ON  PLU=ON  L14
L23      71 SEA ABB=ON  PLU=ON  L15
L24      450 SEA ABB=ON  PLU=ON  L16
L25      182 SEA ABB=ON  PLU=ON  L17
L26      66 SEA ABB=ON  PLU=ON  (L22 AND (L23 OR L24 OR L25)) OR (L23 AND
        (L24 OR L25)) OR (L24 AND L25)
L27      5 SEA ABB=ON  PLU=ON  L22 AND L23 AND L24
L28      5 SEA ABB=ON  PLU=ON  L22 AND L23 AND L24 AND L25
L29      66 SEA ABB=ON  PLU=ON  (L19 OR L20 OR L21 OR L26 OR L27 OR L28)
        E AMMERMAN E/AU
L30      585 SEA ABB=ON  PLU=ON  ("AMMERMAN E"/AU OR "AMMERMAN EBERHARD"/A
        U OR "AMMERMAN EBERHARD DR"/AU OR "AMMERMAN ELFRIEDE"/AU OR
        "AMMERMAN ERBERHARD"/AU)
        E STIERL R/AU
L31      212 SEA ABB=ON  PLU=ON  ("STIERL R"/AU OR "STIERL REINHARD"/AU OR
        "STIERL RHEINHARD"/AU)
        E SCHOFU U/AU
L32      3 SEA ABB=ON  PLU=ON  ("SCHOFU U"/AU OR "SCHOFU U A"/AU OR
        "SCHOFU ULRICH"/AU)
        E STRATHMAN S/AU
L33      358 SEA ABB=ON  PLU=ON  ("STRATHMAN S"/AU OR "STRATHMAN SIEGFRIED
        "/AU OR "STRATHMAN SIEGRIED"/AU)
        E SCHELBERGER K/AU
L34      123 SEA ABB=ON  PLU=ON  ("SCHELBERGER K"/AU OR "SCHELBERGER
        KLAUS"/AU)
        E SCHERER M/AU
L35      281 SEA ABB=ON  PLU=ON  ("SCHERER M"/AU OR "SCHERER M A"/AU OR
        "SCHERER M DON"/AU OR "SCHERER M M"/AU OR "SCHERER M N"/AU OR
        "SCHERER M S"/AU OR "SCHERER M T"/AU OR "SCHERER MARIA"/AU OR
        "SCHERER MARIO"/AU)
        E HADEN E/AU
L36      36 SEA ABB=ON  PLU=ON  ("HADEN E"/AU OR "HADEN EGON"/AU)
L37      381 SEA ABB=ON  PLU=ON  (L30 AND (L31 OR L32 OR L33 OR L34 OR L35
        OR L36)) OR (L31 AND (L32 OR L33 OR L34 OR L35 OR L36)) OR
        (L32 AND (L33 OR L34 OR L35 OR L36)) OR (L33 AND (L34 OR L35
        OR L36)) OR (L34 AND (L35 OR L36)) OR (L35 AND L36)
L38      265 SEA ABB=ON  PLU=ON  (L30 AND (L31 OR L32 OR L33 OR L34 OR L35
        OR L36))
L39      195 SEA ABB=ON  PLU=ON  (L31 AND (L32 OR L33 OR L34 OR L35 OR
        L36))
L40      1 SEA ABB=ON  PLU=ON  (L32 AND (L33 OR L34 OR L35 OR L36))
L41      194 SEA ABB=ON  PLU=ON  (L33 AND (L34 OR L35 OR L36))
L42      64 SEA ABB=ON  PLU=ON  (L34 AND (L35 OR L36))

```

L43 18 SEA ABB=ON PLU=ON (L35 AND L36)
 L44 248 SEA ABB=ON PLU=ON (L38 AND (L39 OR L40 OR L41 OR L42 OR
 L43)) OR (L39 AND (L40 OR L41 OR L42 OR L43)) OR (L40 AND (L41
 OR L42 OR L43)) OR (L41 AND (L42 OR L43)) OR (L42 AND L43)
 L45 381 SEA ABB=ON PLU=ON (L37 OR L44)
 L46 141 SEA ABB=ON PLU=ON (L38 AND (L39 OR L40 OR L41 OR L42 OR
 L43))
 L47 141 SEA ABB=ON PLU=ON (L39 AND (L40 OR L41 OR L42 OR L43))
 L48 1 SEA ABB=ON PLU=ON (L40 AND (L41 OR L42 OR L43))
 L49 62 SEA ABB=ON PLU=ON (L41 AND (L42 OR L43))
 L50 11 SEA ABB=ON PLU=ON (L42 AND L43)
 L51 79 SEA ABB=ON PLU=ON (L46 AND (L47 OR L48 OR L49 OR L50)) OR
 (L47 AND (L48 OR L49 OR L50)) OR (L48 AND (L49 OR L50)) OR
 (L49 AND L50)
 L52 79 SEA ABB=ON PLU=ON L51 AND (L8 OR L9)
 D BIB
 L53 861 SEA ABB=ON PLU=ON (L30 OR L31 OR L32 OR L33 OR L34 OR L35 OR
 L36)
 L54 707 SEA ABB=ON PLU=ON L53 AND (PY<2003 OR AY<2003 OR PRY<2003)
 L55 658 SEA ABB=ON PLU=ON L53 AND (PY<2002 OR AY<2002 OR PRY<2002)
 L56 539 SEA ABB=ON PLU=ON L55 AND (L8 OR L9)
 L57 71 SEA ABB=ON PLU=ON (L46 AND (L47 OR L48 OR L49 OR L50))
 L58 26 SEA ABB=ON PLU=ON (L47 AND (L48 OR L49 OR L50))
 L59 0 SEA ABB=ON PLU=ON (L48 AND (L49 OR L50))
 L60 11 SEA ABB=ON PLU=ON (L49 AND L50)
 L61 19 SEA ABB=ON PLU=ON (L57 AND (L58 OR L59 OR L60)) OR (L58 AND
 (L59 OR L60)) OR (L59 AND L60)
 L62 52 SEA ABB=ON PLU=ON L52 AND (PY<2002 OR AY<2002 OR PRY<2002)
 L63 56 SEA ABB=ON PLU=ON (L62 OR L61)
 L64 61 SEA ABB=ON PLU=ON L29 AND (L8 OR L9)
 L65 66 SEA ABB=ON PLU=ON (L29 OR L64)
 L66 29 SEA ABB=ON PLU=ON L65 AND (PY<2003 OR AY<2003 OR PRY<2003)
 L67 37 SEA ABB=ON PLU=ON L65 NOT L66
 D BIB
 D BIB 2-10
 D BIB 11-15
 D BIB 16
 D BIB 17
 D BIB 18
 D BIB 19
 D BIB 20
 D BIB 21
 D BIB 22
 D BIB 23
 D BIB 24
 D BIB 25
 D BIB 26
 D BIB 27
 D BIB 28
 D BIB 29
 D BIB 30
 D BIB 31
 D BIB 32
 D BIB 33
 D BIB 34
 D BIB 35
 D BIB 36
 D BIB 35
 D BIB 37
 L68 32 SEA ABB=ON PLU=ON (L66 OR L27 OR L28)

L69 35 SEA ABB=ON PLU=ON (L21 OR L68)

FILE 'MEDLINE, EMBASE, BIOSIS, CAOLD' ENTERED AT 11:21:03 ON 25 OCT 2006

L70 0 SEA ABB=ON PLU=ON L14

L71 0 SEA ABB=ON PLU=ON L15

L72 152 SEA ABB=ON PLU=ON L16

L73 63 SEA ABB=ON PLU=ON L17

L74 8 SEA ABB=ON PLU=ON L72 AND L73

L75 207 SEA ABB=ON PLU=ON (L72 OR L73)

L76 8 DUP REM L74 (0 DUPLICATES REMOVED)
ANSWERS '1-8' FROM FILE BIOSIS

L77 196 DUP REM L75 (11 DUPLICATES REMOVED)
ANSWERS '1-13' FROM FILE MEDLINE
ANSWERS '14-196' FROM FILE BIOSIS

L78 445 SEA ABB=ON PLU=ON L8

L79 868824 SEA ABB=ON PLU=ON L9

L80 7 SEA ABB=ON PLU=ON L74 AND (L78 OR L79)

L81 140 SEA ABB=ON PLU=ON L77 AND (L78 OR L79)

L82 0 SEA ABB=ON PLU=ON L80 AND (PY<2002 OR AY<2002 OR PRY<2002)

L83 43 SEA ABB=ON PLU=ON L81 AND (PY<2002 OR AY<2002 OR PRY<2002)
D BIB 1-7
D BIB 1-7 L80
SEL AN L80 7

L84 1 SEA ABB=ON PLU=ON "2002:279452"/AN

L85 44 SEA ABB=ON PLU=ON (L84 OR L83)

FILE 'BEILSTEIN' ENTERED AT 11:25:05 ON 25 OCT 2006

L86 0 SEA ABB=ON PLU=ON L14

L87 0 SEA ABB=ON PLU=ON L15

L88 1 SEA ABB=ON PLU=ON L16

L89 0 SEA ABB=ON PLU=ON L17

L90 0 SEA SSS FUL L1

L91 1 SEA SSS FUL L2

L92 9 SEA SSS FUL L3

L93 1 SEA SSS FUL L4

L94 11 SEA ABB=ON PLU=ON (L86 OR L87 OR L88 OR L89 OR L90 OR L91 OR L92 OR L93)

L95 11 SEA ABB=ON PLU=ON L94 NOT L14

L96 11 SEA ABB=ON PLU=ON L94 NOT L15

L97 10 SEA ABB=ON PLU=ON L94 NOT L16

L98 11 SEA ABB=ON PLU=ON L94 NOT L17

L99 6 SEA ABB=ON PLU=ON L97 AND BABSAN/FA
SEL BABSAN L99

FILE 'BABS' ENTERED AT 11:27:57 ON 25 OCT 2006

L100 15 SEA ABB=ON PLU=ON (6513603/BABSAN OR 6145723/BABSAN OR 6190849/BABSAN OR 6196829/BABSAN OR 6196892/BABSAN OR 6201234/BABSAN OR 6226188/BABSAN OR 6226189/BABSAN OR 6239907/BABSAN OR 6271932/BABSAN OR 6337688/BABSAN OR 6354214/BABSAN OR 6415460/BABSAN OR 6487541/BABSAN OR 6512200/BABSAN)

FILE 'BEILSTEIN' ENTERED AT 11:29:46 ON 25 OCT 2006

L101 1 SEA ABB=ON PLU=ON L97 AND 6145723/BABSAN

L102 1 SEA ABB=ON PLU=ON L97 AND 6190849/BABSAN

L103 1 SEA ABB=ON PLU=ON L97 AND 6196829/BABSAN

L104 1 SEA ABB=ON PLU=ON L97 AND 6196892/BABSAN

L105 1 SEA ABB=ON PLU=ON L97 AND 6201234/BABSAN

L106 1 SEA ABB=ON PLU=ON L97 AND 6226188/BABSAN

L107 1 SEA ABB=ON PLU=ON L97 AND 6226189/BABSAN

L108 1 SEA ABB=ON PLU=ON L97 AND 6239907/BABSAN

L109 1 SEA ABB=ON PLU=ON L97 AND 6271932/BABSAN
 L110 1 SEA ABB=ON PLU=ON L97 AND 6337688/BABSAN
 L111 1 SEA ABB=ON PLU=ON L97 AND 6354214/BABSAN
 L112 1 SEA ABB=ON PLU=ON L97 AND 6415460/BABSAN
 L113 1 SEA ABB=ON PLU=ON L97 AND 6487541/BABSAN
 L114 1 SEA ABB=ON PLU=ON L97 AND 6512200/BABSAN
 L115 5 SEA ABB=ON PLU=ON L97 NOT (L101 OR L102 OR L103 OR L104 OR
 L105 OR L106 OR L107 OR L108 OR L109 OR L110 OR L111 OR L112
 OR L113 OR L114)
 D COST

FILE 'MARPAT' ENTERED AT 11:33:07 ON 25 OCT 2006

L116 1 SEA SSS SAM L1
 L117 28 SEA SSS FUL L1
 L118 1487 SEA SSS FUL L2
 L119 36 SEA SSS FUL L3
 L120 50 SEA SSS FUL L4
 L121 0 SEA ABB=ON PLU=ON L117 AND L118 AND L119 AND L120
 L122 0 SEA ABB=ON PLU=ON L117 AND L118 AND L119
 L123 6 SEA ABB=ON PLU=ON (L117 AND (L118 OR L119 OR L120)) OR (L118
 AND (L119 OR L120)) OR (L119 AND L120)
 L124 25 SEA ABB=ON PLU=ON L117/COM
 L125 1481 SEA ABB=ON PLU=ON L118/COM
 L126 36 SEA ABB=ON PLU=ON L119/COM
 L127 50 SEA ABB=ON PLU=ON L120/COM
 L128 0 SEA ABB=ON PLU=ON L124 AND L125 AND L126 AND L127
 L129 0 SEA ABB=ON PLU=ON L124 AND L125 AND L126
 L130 6 SEA ABB=ON PLU=ON (L124 AND (L125 OR L126 OR L127)) OR (L125
 AND (L126 OR L127)) OR (L126 AND L127)

FILE 'WPIX' ENTERED AT 11:39:57 ON 25 OCT 2006

L131 6 SEA SSS FUL L1
 L132 206 SEA SSS FUL L2
 L133 4 SEA SSS FUL L3
 L134 14 SEA SSS FUL L4
 L135 0 SEA ABB=ON PLU=ON L131 AND L132 AND L133 AND L134
 L136 0 SEA ABB=ON PLU=ON L131 AND L132 AND L133
 L137 0 SEA ABB=ON PLU=ON (L131 AND (L132 OR L133 OR L134)) OR (L132
 AND (L133 OR L134)) OR (L133 AND L134)
 L138 12 SEA ABB=ON PLU=ON L131/DCR
 SEL SDCN L131
 EDIT E17-E22 SDCN DCN
 SEL DCSE L131
 EDIT E23-E28 DCSE DCRE
 SEL SDCN L131
 EDIT E29-E34 SDCN DCN
 L139 12 SEA ABB=ON PLU=ON (RAC4Q7/DCN OR RA0YDP/DCN OR RA0YDR/DCN OR
 RA0YDS/DCN OR RA0YDT/DCN OR RA0YDX/DCN)
 SEL DCSE L131
 EDIT E35-E40 DCSE DCRE
 L140 0 SEA ABB=ON PLU=ON (245782-0-0-0/DCRE OR 245784-0-0-0/DCRE OR
 245785-0-0-0/DCRE OR 245786-0-0-0/DCRE OR 245790-0-0-0/DCRE OR
 798791-0-0-0/DCRE)
 L141 12 SEA ABB=ON PLU=ON (L138 OR L139 OR L140)
 SEL SDCN L132
 EDIT E41-E246 SDCN DCN
 L142 49 SEA ABB=ON PLU=ON (RA0DLZ/DCN OR RA0DMD/DCN OR RA0DM5/DCN OR
 RA0DM6/DCN OR RA0DM7/DCN OR RA0DM8/DCN OR RA11BN/DCN OR
 RA11BO/DCN OR RA11BP/DCN OR RA11BS/DCN OR RA11BT/DCN OR
 RA11BW/DCN OR RA11BX/DCN OR RA11BY/DCN OR RA11BZ/DCN OR

RA11CA/DCN OR RA11CB/DCN OR RA11CD/DCN OR RA11CE/DCN OR
 RA11CF/DCN OR RA11CG/DCN OR RA11CH/DCN OR RA11CI/DCN OR
 RA11CJ/DCN OR RA11CK/DCN OR RA11CL/DCN OR RA11CM/DCN OR
 RA11CN/DCN OR RA11CO/DCN OR RA11CP/DCN OR RA11CQ/DCN OR
 RA11CR/DCN OR RA11CS/DCN OR RA11CT/DCN OR RA11CU/DCN OR
 RA11CV/DCN OR RA11CX/DCN OR RA11CY/DCN OR RA11CZ/DCN OR
 RA11C0/DCN OR RA11C1/DCN OR RA11C2/DCN OR RA11C3/DCN OR
 RA11C4/DCN OR RA11C5/DCN OR RA11C6/DCN OR RA11C7/DCN OR
 RA11C8/DCN OR RA11C9/DCN OR RA2QG6/DCN OR RA2QG7/DCN OR
 RA2ZFH/DCN OR RA2ZFI/DCN OR RA29B4/DCN OR RA29WS/DCN OR
 RA2990/DCN OR RA299P/DCN OR RA299Q/DCN OR RA334V/DCN OR
 RA334W/DCN OR RA35DB/DCN OR RA35DC/DCN OR RA35DD/DCN OR
 RA3594/DCN OR RA4HXO/DCN OR RA4HXP/DCN OR RA5YHI/DCN OR
 RA5YHJ/DCN OR RA5YHK/DCN OR RA5YHL/DCN OR RA5YHM/DCN OR
 RA5YHN/DCN OR RA5YHO/DCN OR RA5YHP/DCN OR RA616Q/DCN OR
 RA617A/DCN OR RA617D/DCN OR RA6176/DCN OR RA6177/DCN OR
 RA6178/DCN OR RA6179/DCN OR RA7YZJ/DCN OR RA7YZK/DCN OR
 RA7YZM/DCN OR RA7YZN/DCN OR RA7YZO/DCN OR RA7YZP/DCN OR
 RA7YZQ/DCN OR RA7YZR/DCN OR RA7YZS/DCN OR RA7YZT/DCN OR
 RA7YZU/DCN OR RA7YZV/DCN OR RA8CAC/DCN OR RA8CAD/DCN OR
 RA81ZA/DCN OR RA81ZB/DCN OR RA81ZC/DCN OR RA81ZD/DCN OR
 RA81ZE/DCN OR RA81ZF/DCN OR RA81ZG/DCN OR RA81ZH/DCN OR
 RA81ZI/DCN OR RA81ZJ/DCN OR RA81ZK/DCN OR RA81ZL/DCN OR
 RA81ZM/DCN OR RA81ZN/DCN OR RA81ZO/DCN OR RA81ZP/DCN OR
 RA81ZQ/DCN OR RA81ZR/DCN OR RA81ZS/DCN OR RA81ZT/DCN OR
 RA81ZU/DCN OR RA81ZV/DCN OR RA81ZW/DCN OR RA81ZX/DCN OR
 RA81ZY/DCN OR RA81ZZ/DCN OR RA81Z2/DCN OR RA81Z3/DCN OR
 RA81Z4/DCN OR RA81Z5/DCN OR RA81Z6/DCN OR RA81Z8/DCN OR
 RA81Z9/DCN OR RA82VX/DCN OR RA82VY/DCN OR RA82WA/DCN OR
 RA82WB/DCN OR RA82WC/DCN OR RA82WD/DCN OR RA82WE/DCN OR
 RA82WF/DCN OR RA82WG/DCN OR RA82WH/DCN OR RA82WI/DCN OR
 RA82WJ/DCN OR RA82WK/DCN OR RA82WL
 SEL DCSE L132

EDIT E247-E452 DCSE DCRE

L143

4 SEA ABB=ON PLU=ON (RA7YZU/DCN OR RA7YZV/DCN OR RA8CAC/DCN OR
 RA8CAD/DCN OR RA81ZA/DCN OR RA81ZB/DCN OR RA81ZC/DCN OR
 RA81ZD/DCN OR RA81ZE/DCN OR RA81ZF/DCN OR RA81ZG/DCN OR
 RA81ZH/DCN OR RA81ZI/DCN OR RA81ZJ/DCN OR RA81ZK/DCN OR
 RA81ZL/DCN OR RA81ZM/DCN OR RA81ZN/DCN OR RA81ZO/DCN OR
 RA81ZP/DCN OR RA81ZQ/DCN OR RA81ZR/DCN OR RA81ZS/DCN OR
 RA81ZT/DCN OR RA81ZU/DCN OR RA81ZV/DCN OR RA81ZW/DCN OR
 RA81ZX/DCN OR RA81ZY/DCN OR RA81ZZ/DCN OR RA81Z2/DCN OR
 RA81Z3/DCN OR RA81Z4/DCN OR RA81Z5/DCN OR RA81Z6/DCN OR
 RA81Z8/DCN OR RA81Z9/DCN OR RA82VX/DCN OR RA82VY/DCN OR
 RA82WA/DCN OR RA82WB/DCN OR RA82WC/DCN OR RA82WD/DCN OR
 RA82WE/DCN OR RA82WF/DCN OR RA82WG/DCN OR RA82WH/DCN OR
 RA82WI/DCN OR RA82WJ/DCN OR RA82WK/DCN OR RA82WL/DCN OR
 RA82WM/DCN OR RA82WN/DCN OR RA82WO/DCN OR RA82WP/DCN OR
 RA82WQ/DCN OR RA82WR/DCN OR RA82WS/DCN OR RA82WT/DCN OR
 RA82WU/DCN OR RA82WV/DCN OR RA82WW/DCN OR RA82WX/DCN OR
 RA82WY/DCN OR RA82WZ/DCN OR RA82W0/DCN OR RA82W1/DCN OR
 RA82W2/DCN OR RA82W3/DCN OR RA82W4/DCN OR RA82W5/DCN OR
 RA82W6/DCN OR RA82W7/DCN OR RA82W8/DCN OR RA82W9/DCN OR
 RA82X0/DCN OR RA82X1/DCN OR RA82X2/DCN OR RA82X3/DCN OR
 RA82X4/DCN OR RA82X5/DCN OR RA82X6/DCN OR RA82X7/DCN OR
 RA82X8/DCN OR RA82X9/DCN OR RA820A/DCN OR RA820B/DCN OR
 RA820C/DCN OR RA820D/DCN OR RA820E/DCN OR RA820F/DCN OR
 RA820G/DCN OR RA820H/DCN OR RA820I/DCN OR RA820J/DCN OR
 RA820K/DCN OR RA820L/DCN OR RA820M/DCN OR RA820N/DCN OR
 RA820O/DCN OR RA820U/DCN OR RA820V/DCN OR RA820W/DCN OR

RA820X/DCN OR RA820Y/DCN OR RA8200/DCN OR RA8201/DCN OR
RA8202/DCN OR RA8203/DCN OR RA8204/DCN OR RA8205/DCN OR
RA8206/DCN OR RA8207/DCN OR RA8208/DCN OR RA8209/DCN OR
218410-0-0-0/DCRE)

L144

0 SEA ABB=ON PLU=ON (218410-0-0-0/DCRE OR 218416-0-0-0/DCRE OR
218417-0-0-0/DCRE OR 218418-0-0-0/DCRE OR 218419-0-0-0/DCRE OR
218424-0-0-0/DCRE OR 249656-0-0-0/DCRE OR 249657-0-0-0/DCRE OR
249658-0-0-0/DCRE OR 249661-0-0-0/DCRE OR 249662-0-0-0/DCRE OR
249665-0-0-0/DCRE OR 249666-0-0-0/DCRE OR 249667-0-0-0/DCRE OR
249668-0-0-0/DCRE OR 249669-0-0-0/DCRE OR 249670-0-0-0/DCRE OR
249671-0-0-0/DCRE OR 249672-0-0-0/DCRE OR 249673-0-0-0/DCRE OR
249674-0-0-0/DCRE OR 249675-0-0-0/DCRE OR 249676-0-0-0/DCRE OR
249677-0-0-0/DCRE OR 249678-0-0-0/DCRE OR 249679-0-0-0/DCRE OR
249680-0-0-0/DCRE OR 249682-0-0-0/DCRE OR 249683-0-0-0/DCRE OR
249684-0-0-0/DCRE OR 249685-0-0-0/DCRE OR 249686-0-0-0/DCRE OR
249687-0-0-0/DCRE OR 249688-0-0-0/DCRE OR 249689-0-0-0/DCRE OR
249690-0-0-0/DCRE OR 249691-0-0-0/DCRE OR 249692-0-0-0/DCRE OR
249693-0-0-0/DCRE OR 249694-0-0-0/DCRE OR 249695-0-0-0/DCRE OR
249696-0-0-0/DCRE OR 249697-0-0-0/DCRE OR 249698-0-0-0/DCRE OR
249699-0-0-0/DCRE OR 249700-0-0-0/DCRE OR 249702-0-0-0/DCRE OR
249703-0-0-0/DCRE OR 249704-0-0-0/DCRE OR 309032-0-0-0/DCRE OR
309033-0-0-0/DCRE OR 309034-0-0-0/DCRE OR 309085-0-0-0/DCRE OR
309839-0-0-0/DCRE OR 332577-0-0-0/DCRE OR 332578-0-0-0/DCRE OR
344316-0-0-0/DCRE OR 344317-0-0-0/DCRE OR 349395-0-0-0/DCRE OR
349396-0-0-0/DCRE OR 352242-0-0-0/DCRE OR 352395-0-0-0/DCRE OR
352396-0-0-0/DCRE OR 352397-0-0-0/DCRE OR 417428-0-0-0/DCRE OR
417429-0-0-0/DCRE OR 488163-0-0-0/DCRE OR 488164-0-0-0/DCRE OR
488165-0-0-0/DCRE OR 488166-0-0-0/DCRE OR 488167-0-0-0/DCRE OR
488168-0-0-0/DCRE OR 488169-0-0-0/DCRE OR 488170-0-0-0/DCRE OR
491775-0-0-0/DCRE OR 491792-0-0-0/DCRE OR 491793-0-0-0/DCRE OR
491794-0-0-0/DCRE OR 491795-0-0-0/DCRE OR 491796-0-0-0/DCRE OR
491801-0-0-0/DCRE OR 585057-0-0-0/DCRE OR 585058-0-0-0/DCRE OR
585060-0-0-0/DCRE OR 585061-0-0-0/DCRE OR
SEL DCSE L132

EDIT E453-E658 DCSE DCRE

L145

0 SEA ABB=ON PLU=ON (218410-0-0-0/DCRE OR 218416-0-0-0/DCRE OR
218417-0-0-0/DCRE OR 218418-0-0-0/DCRE OR 218419-0-0-0/DCRE OR
218424-0-0-0/DCRE OR 249656-0-0-0/DCRE OR 249657-0-0-0/DCRE OR
249658-0-0-0/DCRE OR 249661-0-0-0/DCRE OR 249662-0-0-0/DCRE OR
249665-0-0-0/DCRE OR 249666-0-0-0/DCRE OR 249667-0-0-0/DCRE OR
249668-0-0-0/DCRE OR 249669-0-0-0/DCRE OR 249670-0-0-0/DCRE OR
249671-0-0-0/DCRE OR 249672-0-0-0/DCRE OR 249673-0-0-0/DCRE OR
249674-0-0-0/DCRE OR 249675-0-0-0/DCRE OR 249676-0-0-0/DCRE OR
249677-0-0-0/DCRE OR 249678-0-0-0/DCRE OR 249679-0-0-0/DCRE OR
249680-0-0-0/DCRE OR 249682-0-0-0/DCRE OR 249683-0-0-0/DCRE OR
249684-0-0-0/DCRE OR 249685-0-0-0/DCRE OR 249686-0-0-0/DCRE OR
249687-0-0-0/DCRE OR 249688-0-0-0/DCRE OR 249689-0-0-0/DCRE OR
249690-0-0-0/DCRE OR 249691-0-0-0/DCRE OR 249692-0-0-0/DCRE OR
249693-0-0-0/DCRE OR 249694-0-0-0/DCRE OR 249695-0-0-0/DCRE OR
249696-0-0-0/DCRE OR 249697-0-0-0/DCRE OR 249698-0-0-0/DCRE OR
249699-0-0-0/DCRE OR 249700-0-0-0/DCRE OR 249702-0-0-0/DCRE OR
249703-0-0-0/DCRE OR 249704-0-0-0/DCRE OR 309032-0-0-0/DCRE OR
309033-0-0-0/DCRE OR 309034-0-0-0/DCRE OR 309085-0-0-0/DCRE OR
309839-0-0-0/DCRE OR 332577-0-0-0/DCRE OR 332578-0-0-0/DCRE OR
344316-0-0-0/DCRE OR 344317-0-0-0/DCRE OR 349395-0-0-0/DCRE OR
349396-0-0-0/DCRE OR 352242-0-0-0/DCRE OR 352395-0-0-0/DCRE OR
352396-0-0-0/DCRE OR 352397-0-0-0/DCRE OR 417428-0-0-0/DCRE OR
417429-0-0-0/DCRE OR 488163-0-0-0/DCRE OR 488164-0-0-0/DCRE OR
488165-0-0-0/DCRE OR 488166-0-0-0/DCRE OR 488167-0-0-0/DCRE OR
488168-0-0-0/DCRE OR 488169-0-0-0/DCRE OR 488170-0-0-0/DCRE OR

491775-0-0-0/DCRE OR 491792-0-0-0/DCRE OR 491793-0-0-0/DCRE OR
 491794-0-0-0/DCRE OR 491795-0-0-0/DCRE OR 491796-0-0-0/DCRE OR
 491801-0-0-0/DCRE OR 585057-0-0-0/DCRE OR 585058-0-0-0/DCRE OR
 585060-0-0-0/DCRE OR 585061-0-0-0/DCRE OR
 L146 49 SEA ABB=ON PLU=ON (L142 OR L143 OR L144 OR L145)
 SEL SDCN L133
 EDIT E659-E662 SDCN DCN
 L147 70 SEA ABB=ON PLU=ON (RAIB50/DCN OR RAIB51/DCN OR RA99Y3/DCN OR
 R21253/DCN)
 SEL DCSE L133
 EDIT E663-E666 DCSE DCRE
 L148 0 SEA ABB=ON PLU=ON (134779-0-0-0/DCRE OR 134779-1-0-0/DCRE OR
 134779-2-0-0/DCRE OR 650514-0-0-0/DCRE)
 L149 70 SEA ABB=ON PLU=ON (L147 OR L148)
 SEL SDCN L134
 EDIT E667-E680 SDCN DCN
 L150 67 SEA ABB=ON PLU=ON (RABYQ5/DCN OR RAlYVY/DCN OR RAlYVZ/DCN OR
 RAlYW0/DCN OR RAlYW1/DCN OR RAlYW2/DCN OR RAlYW3/DCN OR
 RAlYW4/DCN OR RAlYW5/DCN OR RA10J9/DCN OR RA179C/DCN OR
 RA179E/DCN OR RA26UP/DCN OR RA73R1/DCN)
 SEL DCSE L134
 EDIT E681-E694 DCSE DCRE
 L151 0 SEA ABB=ON PLU=ON (248591-0-0-0/DCRE OR 257507-0-0-0/DCRE OR
 257509-0-0-0/DCRE OR 295092-0-0-0/DCRE OR 295093-0-0-0/DCRE OR
 295094-0-0-0/DCRE OR 295095-0-0-0/DCRE OR 295096-0-0-0/DCRE OR
 295097-0-0-0/DCRE OR 295098-0-0-0/DCRE OR 295099-0-0-0/DCRE OR
 305789-0-0-0/DCRE OR 542924-0-0-0/DCRE OR 790669-0-0-0/DCRE)
 L152 67 SEA ABB=ON PLU=ON (L150 OR L151)
 L153 1 SEA ABB=ON PLU=ON L141 AND L146 AND L149 AND L152
 L154 1 SEA ABB=ON PLU=ON L141 AND L146 AND L149
 L155 37 SEA ABB=ON PLU=ON (L141 AND (L146 OR L149 OR L152)) OR (L146
 AND (L149 OR L152)) OR (L149 AND L152)
 L*** DEL 480 S L55 NOT (PY>2003 OR AY>2003 OR PRY>2003)
 L156 0 SEA ABB=ON PLU=ON L155 NOT (PY>2003 OR AY>2003 OR PRY>2003)
 L157 1 SEA ABB=ON PLU=ON (L153 OR L154)
 L158 16 SEA ABB=ON PLU=ON L155 AND (PY<2003 OR AY<2003 OR PRY<2003)
 L159 16 SEA ABB=ON PLU=ON (L158 OR L157 OR L154 OR L153)
 E FUNGICIDES/CT
 L160 750 SEA ABB=ON PLU=ON FUNGICIDES/CT
 L161 61158 SEA ABB=ON PLU=ON (FUNG?/BIX)
 L162 15 SEA ABB=ON PLU=ON L159 AND (L160 OR L161)
 L*** DEL 72 S L159,L152
 L163 16 SEA ABB=ON PLU=ON (L162 OR L159)

=> file hcaplus

FILE 'HCAPLUS' ENTERED AT 11:54:59 ON 25 OCT 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
 held by the publishers listed in the PUBLISHER (PB) field (available
 for records published or updated in Chemical Abstracts after December
 26, 1996), unless otherwise indicated in the original publications.
 The CA Lexicon is the copyrighted intellectual property of the
 the American Chemical Society and is provided to assist you in searching
 databases on STN. Any dissemination, distribution, copying, or storing
 of this information, without the prior written consent of CAS, is
 strictly prohibited.

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate
 substance identification.


=> d que 163

L8	135586	SEA FILE=HCAPLUS ABB=ON	PLU=ON	FUNGICIDES+OLD,PFT,NT,RT/CT
L9	221696	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(FUNG?)/OBI,BI
L30	585	SEA FILE=HCAPLUS ABB=ON	PLU=ON	("AMMERMAN E"/AU OR "AMMERMAN N EBERHARD"/AU OR "AMMERMAN EBERHARD DR"/AU OR "AMMERMAN ELFRIEDE"/AU OR "AMMERMAN ERBERHARD"/AU)
L31	212	SEA FILE=HCAPLUS ABB=ON	PLU=ON	("STIERL R"/AU OR "STIERL REINHARD"/AU OR "STIERL RHEINHARD"/AU)
L32	3	SEA FILE=HCAPLUS ABB=ON	PLU=ON	("SCHOFU U"/AU OR "SCHOFU U A"/AU OR "SCHOFU ULRICH"/AU)
L33	358	SEA FILE=HCAPLUS ABB=ON	PLU=ON	("STRATHMAN S"/AU OR "STRATHMAN SIEGFRIED"/AU OR "STRATHMAN SIEGRIED"/AU)
L34	123	SEA FILE=HCAPLUS ABB=ON	PLU=ON	("SCHELBERGER K"/AU OR "SCHELBERGER KLAUS"/AU)
L35	281	SEA FILE=HCAPLUS ABB=ON	PLU=ON	("SCHERER M"/AU OR "SCHERER M A"/AU OR "SCHERER M DON"/AU OR "SCHERER M M"/AU OR "SCHERER M N"/AU OR "SCHERER M S"/AU OR "SCHERER M T"/AU OR "SCHERER MARIA"/AU OR "SCHERER MARIO"/AU)
L36	36	SEA FILE=HCAPLUS ABB=ON	PLU=ON	("HADEN E"/AU OR "HADEN EGON"/AU)
L38	265	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L30 AND (L31 OR L32 OR L33 OR L34 OR L35 OR L36))
L39	195	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L31 AND (L32 OR L33 OR L34 OR L35 OR L36))
L40	1	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L32 AND (L33 OR L34 OR L35 OR L36))
L41	194	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L33 AND (L34 OR L35 OR L36))
L42	64	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L34 AND (L35 OR L36))
L43	18	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L35 AND L36)
L46	141	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L38 AND (L39 OR L40 OR L41 OR L42 OR L43))
L47	141	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L39 AND (L40 OR L41 OR L42 OR L43))
L48	1	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L40 AND (L41 OR L42 OR L43))
L49	62	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L41 AND (L42 OR L43))
L50	11	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L42 AND L43)
L51	79	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L46 AND (L47 OR L48 OR L49 OR L50)) OR (L47 AND (L48 OR L49 OR L50)) OR (L48 AND (L49 OR L50)) OR (L49 AND L50)
L52	79	SEA FILE=HCAPLUS ABB=ON	PLU=ON	L51 AND (L8 OR L9)
L57	71	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L46 AND (L47 OR L48 OR L49 OR L50))
L58	26	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L47 AND (L48 OR L49 OR L50))
L59	0	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L48 AND (L49 OR L50))
L60	11	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L49 AND L50)
L61	19	SEA FILE=HCAPLUS ABB=ON	PLU=ON	(L57 AND (L58 OR L59 OR L60)) OR (L58 AND (L59 OR L60)) OR (L59 AND L60)
L62	52	SEA FILE=HCAPLUS ABB=ON	PLU=ON	L52 AND (PY<2002 OR AY<2002

=> d ibib abs 163 tot

L63 ANSWER 1 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2004:429604 HCAPLUS Full-text
DOCUMENT NUMBER: 140:401760
TITLE: Synergistic fungicide mixtures containing benzamide oxime derivatives.
INVENTOR(S): **Ammermann, Eberhard; Stierl, Reinhard; Schoefl, Ulrich; Strathmann, Siegfried; Schelberger, Klaus; Scherer, Maria; Haden, Egon**
PATENT ASSIGNEE(S): BASF A.-G., Germany
SOURCE: Ger. Offen., 6 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 10252657	A1	20040527	DE 2002-10252657	20021111
WO 2005053404	A1	20050616	WO 2003-EP13183	20031124
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003289891	A1	20050624	AU 2003-289891	20031124
PRIORITY APPLN. INFO.:			DE 2002-10252657	A 20021111
			WO 2003-EP13183	A 20031124
OTHER SOURCE(S):		MARPAT 140:401760		
GI				



I

AB Synergistic fungicide mixts. comprise a benzamide oxime I (R = H, halo, alkyl, haloalkyl, alkoxy or haloalkoxy; n = 1,2 or 3) and cyprodinil or proquinazid.

ACCESSION NUMBER: 2004:2594 HCAPLUS Full-text

DOCUMENT NUMBER: 140:37411

TITLE: Synergistic fungicidal mixtures based on benzamidoxime derivatives, benzophenones, and an azole

INVENTOR(S): **Ammermann, Eberhard; Stierl, Reinhard; Schoefl, Ulrich; Strathmann, Siegfried; Schelberger, Klaus; Scherer, Maria; Haden, Egon**

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 33 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004000019	A1	20031231	WO 2003-EP5949	20030606
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2489290	AA	20031231	CA 2003-2489290	20030606
AU 2003246401	A1	20040106	AU 2003-246401	20030606
BR 2003011488	A	20050315	BR 2003-11488	20030606
EP 1517608	A1	20050330	EP 2003-760592	20030606
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
CN 1662139	A	20050831	CN 2003-814084	20030606
JP 2005529962	T2	20051006	JP 2004-514667	20030606
US 2005203188	A1	20050915	US 2004-516674	20041206
PRIORITY APPLN. INFO.:			DE 2002-10227656	A 20020620
			WO 2003-EP5949	W 20030606

OTHER SOURCE(S): MARPAT 140:37411

GI



II

AB Fungicidal mixts. contain synergistically effective amts. of the following active constituents: (1) N-[[[(cyclopropylmethoxy)amino][6- (difluoromethoxy)-2,3-difluorophenyl]methylene]benzeneacetamide (I) or a derivative wherein the benzeneacetamide moiety may have 1-3 substituents on the Ph ring chosen from among halo, C1-C4 alkyl, C1-C4 alkyl halide, or C1-C4 (halo)alkoxy; (2) a benzophenone (II), in which R1 = Cl, Me, MeO, AcO, pivaloyloxy, or OH; R2 = Cl or Me; R3 = H, halo, or Me; and R4 = C1-C6 alkyl or benzyl, whereby the Ph portion of the benzyl radical can substituted by halo or Me; (3) epoxiconazole and, optionally; (4) pyraclostrobin. Thus, I + metrafenone + epoxiconazole at 0.25 + 0.25 + 1 ppm (1:1:4 mixture) synergistically controlled wheat powdery mildew caused by Erysiphe graminis tritici.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 3 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2003:818206 HCAPLUS Full-text

DOCUMENT NUMBER: 139:287645

TITLE: Synergistic fungicidal mixtures comprising benzamidoxime derivatives and azoles

INVENTOR(S): **Ammermann, Eberhard; Stierl, Reinhard; Lorenz, Gisela; Strathmann, Siegfried; Schelberger, Klaus; Scherer, Maria; Haden, Egon**

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 34 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003084330	A1	20031016	WO 2003-EP3432	20030402
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2480701	AA	20031016	CA 2003-2480701	20030402
AU 2003229594	A1	20031020	AU 2003-229594	20030402
EP 1494531	A1	20050112	EP 2003-722384	20030402
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
BR 2003008830	A	20050125	BR 2003-8830	20030402
US 2005148547	A1	20050707	US 2003-509797	20030402
CN 1646014	A	20050727	CN 2003-807862	20030402
JP 2005527568	T2	20050915	JP 2003-581587	20030402
ZA 2004008921	A	20051108	ZA 2004-8921	20041104
PRIORITY APPLN. INFO.:			DE 2002-10215145	A 20020405
			WO 2003-EP3432	W 20030402

OTHER SOURCE(S): MARPAT 139:287645

GI



I

AB Synergistic fungicidal mixts. comprise benzamidoxime derivs. I (R = H, halo, alkyl, haloalkyl, alkoxy or haloalkoxy; n = 1-3) and any of 22 triazoles, such as bromuconazole, cyproconazole, difenoconazole, diniconazole, epoxiconazole, fenbuconazole, fluquinconazole, flusilazole, hexaconazole, metconazole; prochloraz, etc.

REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 4 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2003:818205 HCAPLUS Full-text

DOCUMENT NUMBER: 139:287644

TITLE: Synergistic fungicidal mixtures comprising benzamidoxime and strobilurin derivatives

INVENTOR(S): **Ammermann, Eberhard; Stierl, Reinhard; Lorenz, Gisela; Strathmann, Siegfried; Schelberger, Klaus; Scherer, Maria; Haden, Egon**

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 28 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003084329	A1	20031016	WO 2003-EP3429	20030402
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2480614	AA	20031016	CA 2003-2480614	20030402
AU 2003226774	A1	20031020	AU 2003-226774	20030402
EP 1494532	A1	20050112	EP 2003-745780	20030402
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003008831	A	20050125	BR 2003-8831	20030402
CN 1646013	A	20050727	CN 2003-807563	20030402
US 2005182051	A1	20050818	US 2003-509110	20030402
JP 2005527567	T2	20050915	JP 2003-581586	20030402

ZA 2004008920 A 20051108 ZA 2004-8920 20041104
 PRIORITY APPLN. INFO.: DE 2002-10215146 A 20020405
 OTHER SOURCE(S): MARPAT 139:287644 WO 2003-EP3429 W 20030402
 GI



I

AB The invention relates to a fungicidal mixture containing a benzamidoxime derivative I, where R represents hydrogen, halogen, C1-C4 alkyl, C1-C4 haloalkyl, C1-C4 alkoxy or C1-C4 haloalkoxy and n represents 1-3; and at least one strobilurin derivative, selected from trifloxystrobin, picoxystrobin, pyraclostrobin, dimoxystrobin, kresoxim Me, azoxystrobin, or other strobilurin derivs. in a synergistically active quantity.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 5 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2003:221444 HCAPLUS Full-text

DOCUMENT NUMBER: 138:250151

TITLE: Synergistic *fungicidal* mixtures comprising strobilurin

INVENTOR(S): *Ammernann, Eberhard; Stierl, Reinhard; Lorenz, Gisela; Strathmann, Siegfried; Stammler, Gerd; Schelberger, Klaus; Birner, Erich; Appel, Josef*

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 24 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003022053	A1	20030320	WO 2002-EP9835	20020903 <--
W:				
AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW:				
GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
DE 10144991	A1	20030327	DE 2001-10144991	20010912 <--


CA 2460032	AA	20030320	CA 2002-2460032	20020903 <--
AU 2002339474	A2	20030324	AU 2002-339474	20020903 <--
EP 1427284	A1	20040616	EP 2002-776967	20020903 <--
EP 1427284	B1	20050608		

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK

BR 2002012457	A	20041019	BR 2002-12457	20020903 <--
CN 1553772	A	20041208	CN 2002-817773	20020903 <--
JP 2005501911	T2	20050120	JP 2003-526195	20020903 <--
AT 297120	E	20050615	AT 2002-776967	20020903 <--
PT 1427284	T	20050930	PT 2002-776967	20020903 <--
ES 2242070	T3	20051101	ES 2002-2776967	20020903 <--
NZ 531682	A	20060224	NZ 2002-531682	20020903 <--
CN 1666613	A	20050914	CN 2004-10004695	20040311 <--
ZA 2004002743	A	20050408	ZA 2004-2743	20040408 <--

PRIORITY APPLN. INFO.: DE 2001-10144991 A 20010912 <--
WO 2002-EP9835 W 20020903

OTHER SOURCE(S): MARPAT 138:250151
GI



AB **Fungicidal** mixts., comprising (A) at least one strobilurin agent, selected from (a1) carbamates I, in which T = CH or N, n = 0, 1 or 2 and R = halogen, alkyl or haloalkyl, whereby the group R can be different when n = 2 and/or (a2) any of 6 phenylacetic acid derivs. (kresoxim-Me, dimoxystrobin, trifloxystrobin, metominostrobin, azoxystrobin and fluoxastrobin) and (B) dithianon.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 6 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2002:615338 HCAPLUS Full-text

DOCUMENT NUMBER: 137:151318

TITLE: Synergistic **fungicidal** compositions containing a benzophenone and an oxime ether derivative

INVENTOR(S): Eicken, Karl; Rose, Ingo; **Ammermann, Eberhard**; **Stierl, Reinhard**; Lorenz, Gisela; **Strathmann, Siegfried**; **Scherer, Maria**; **Schelberger, Klaus**; **Haden, Egon**

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 25 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent



LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----

WO 2002062140 A1 20020815 WO 2002-EP414 20020117 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH,
PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ,
UA, UG, US, UZ, VN, YU, ZA, ZM, ZW
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
CA 2434664 AA 20020815 CA 2002-2434664 20020117 <--
EP 1365650 A1 20031203 EP 2002-729924 20020117 <--
EP 1365650 B1 20050824
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
BR 2002006487 A 20040217 BR 2002-6487 20020117 <--
JP 2004521896 T2 20040722 JP 2002-562152 20020117 <--
NZ 527420 A 20040827 NZ 2002-527420 20020117 <--
AT 302548 E 20050915 AT 2002-729924 20020117 <--
ES 2247331 T3 20060301 ES 2002-2729924 20020117 <--
US 2004054000 A1 20040318 US 2003-466332 20030714 <--
ZA 2003006359 A 20040901 ZA 2003-6359 20030815 <--
PRIORITY APPLN. INFO.: DE 2001-10102281 A 20010118 <--
WO 2002-EP414 W 20020117
OTHER SOURCE(S): MARPAT 137:151318
GI





AB The invention relates to synergistic **fungicidal** compns. comprising benzophenones I (R1 = Cl, Me, MeO, AcO, pivaloyloxy or OH; R2 = Cl or Me; R3 = H, halo or Me; R4 = C1-6 alkyl or benzyl, whereby the Ph part of the benzyl group can bear a halo or Me substituent) and oxime ether derivs. II [X1 = C1-4 haloalkyl or haloalkoxy; X1-5 = H, halo, C1-4 alkyl, haloalkyl, alkoxy or haloalkoxy; Y1 = (un)substituted C1-4 alkyl, C2-6 alkenyl, alkynyl or C1-4 alkyl(C3-7)cycloalkyl; Y2 = (un)substituted Ph or heterocyclyl; Y3, Y4 = H, C1-4 alkyl, alkoxy, alkylthio, alkylamino, haloalkyl or haloalkoxy].

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 7 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2002:555276 HCAPLUS Full-text
 DOCUMENT NUMBER: 137:105163
 TITLE: Synergistic **fungicide** mixtures containing
 imidazole and valinamide derivatives
 INVENTOR(S): Ptock, Arne; **Ammermann, Eberhard**;
Stierl, Reinhard; Lorenz, Gisela;
Strathmann, Siegfried; **Scherer, Maria**
 ; **Schelberger, Klaus**; Reddig, Achim
 PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany
 SOURCE: PCT Int. Appl., 28 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002056690	A1	20020725	WO 2002-EP497	20020119 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2435364	AA	20020725	CA 2002-2435364	20020119 <--
EP 1355531	A1	20031029	EP 2002-702285	20020119 <--
EP 1355531	B1	20051221		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
EE 200300344	A	20031215	EE 2003-344	20020119 <--
NZ 527474	A	20040528	NZ 2002-527474	20020119 <--
BR 2002006553	A	20040622	BR 2002-6553	20020119 <--
JP 2004522734	T2	20040729	JP 2002-557209	20020119 <--
CN 1525819	A	20040901	CN 2002-803782	20020119 <--
AT 313260	E	20060115	AT 2002-702285	20020119 <--
ES 2254644	T3	20060616	ES 2002-2702285	20020119 <--
BG 107980	A	20040730	BG 2003-107980	20030708 <--
US 2004053980	A1	20040318	US 2003-466397	20030716 <--
ZA 2003006514	A	20040906	ZA 2003-6514	20030821 <--
PRIORITY APPLN. INFO.:			DE 2001-10102835	A 20010122 <--
			WO 2002-EP497	W 20020119
OTHER SOURCE(S):	MARPAT 137:105163			
GI				



AB The title mixts. contain (a) imidazole derivs. I, wherein R1 and R2 represent halogen and Ph which can be substituted by halogen or alkyl, or R1 and R2, together with the bridging C=C double bond, form a 3,4-difluoromethylenedioxyphenyl group, R3 represents cyano or halogen, and R4 represents dialkylamino or isoxazol-4-yl which can carry two alkyl radicals; and (b) valinamides II, wherein R5 represents Ph which is substituted in position 4 by halogen, C1-C4 alkyl or C1-C4 alkoxy, 1- or 2-naphthyl, or benzothiazol-2-yl which is substituted in position 6 by halogen, and R6 represents C3-C4 alkyl.

REFERENCE COUNT: 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 8 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:555275 HCAPLUS Full-text

DOCUMENT NUMBER: 137:105162

TITLE: Synergistic **fungicidal** mixtures comprising benzophenone and imidazole derivatives

INVENTOR(S): Ptock, Arne; Rose, Ingo; **Ammermann, Eberhard**; **Stierl, Reinhard**; Lorenz, Gisela; **Strathmann, Siegfried**; **Scherer, Maria**; **Schelberger, Klaus**; **Haden, Egon**

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 25 pp.

CODEN: PIXXD2


DOCUMENT TYPE: Patent

LANGUAGE: German


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002056689	A1	20020725	WO 2002-EP413	20020117 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1365654	A1	20031203	EP 2002-710801	20020117 <--
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
JP 2004523516	T2	20040805	JP 2002-557208	20020117 <--
US 2004053984	A1	20040318	US 2003-466331	20030714 <--
PRIORITY APPLN. INFO.:			DE 2001-10102282	A 20010118 <--
			WO 2002-EP413	W 20020117
OTHER SOURCE(S):	MARPAT 137:105162			
GI				



I



II

AB The title mixts. contain (a) benzophenones I, where R1 = chloro, Me, methoxy, acetoxy, pivaloyloxy or hydroxy; R2 = chloro or methyl; R3 =H, halogen or Me and R4 = C1-C6 alkyl or benzyl, where the Ph moiety of the benzyl group can be halo- or methyl-substituted; and (b) imidazole derivs. II, where Y = bromine or chlorine.

REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63. ANSWER 9 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:555274 HCAPLUS Full-text

DOCUMENT NUMBER: 137:105161

TITLE: Synergistic **fungicidal** mixtures of benzophenones and N-biphenylnicotinamides

INVENTOR(S): Eicken, Karl; Rose, Ingo; **Ammermann, Eberhard**; **Stierl, Reinhard**; Lorenz, Gisela; **Strathmann, Siegfried**; **Scherer, Maria**; **Schelberger, Klaus**; **Haden, Egon**; Hampel, Manfred

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 27 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent



LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002056688	A1	20020725	WO 2002-EP410	20020117 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2434695	AA	20020725	CA 2002-2434695	20020117 <--
EP 1365652	A1	20031203	EP 2002-710800	20020117 <--
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
EE 200300336	A	20031215	EE 2003-336	20020117 <--
BR 2002006385	A	20040203	BR 2002-6385	20020117 <--
JP 2004523515	T2	20040805	JP 2002-557207	20020117 <--
NZ 526744	A	20050826	NZ 2002-526744	20020117 <--
BG 107965	A	20040730	BG 2003-107965	20030702 <--

US 2004077692 A1 20040422 US 2003-466165 20030714 <--
 ZA 2003006357 A 20040906 ZA 2003-6357 20030815 <--
 PRIORITY APPLN. INFO.: DE 2001-10102311 A 20010118 <--
 WO 2002-EP410 W 20020117
 OTHER SOURCE(S): MARPAT 137:105161
 GI



AB The title mixts. contain (a) benzophenones I, wherein R1 represents Cl, Me, methoxy, acetoxy, pivaloyloxy or hydroxy; R2 represents Cl or Me; R3 represents H, halogen or Me; and R4 represents C1-C6 alkyl or benzyl, whereby the Ph part of the benzyl group may carry a halogen or Me substituent; and (b) N-biphenylnicotinamides II, wherein R6 and R7 represent halogen, nitro, cyano, alkyl, alkenyl, alkynyl, haloalkyl, halogenalkenyl, haloalkynyl, alkoxy, haloalkoxy, alkylthio, haloalkylthio, alkylsulfinyl or alkylsulfonyl; x is 1, 2, 3 or 4; and y is 1, 2, 3, 4 or 5.

REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 10 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:555272 HCAPLUS Full-text

DOCUMENT NUMBER: 137:105160

TITLE: Synergistic **fungicide** mixtures

INVENTOR(S): Mueller, Bernd; Rose, Ingo; **Ammermann, Eberhard; Stierl, Reinhard**; Lorenz, Gisela; **Strathmann, Siegfried; Scherer, Maria; Schelberger, Klaus**; Leyendecker, Joachim; **Haden, Egon**

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 28 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002056686	A1	20020725	WO 2002-EP411	20020117 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,			

BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG


CA 2434684	AA	20020725	CA 2002-2434684	20020117 <--
EP 1353554	A1	20031022	EP 2002-710012	20020117 <--
EP 1353554	B1	20040630		

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR

EE 200300337	A	20031215	EE 2003-337	20020117 <--
BR 2002006494	A	20040106	BR 2002-6494	20020117 <--
AT 270041	E	20040715	AT 2002-710012	20020117 <--
JP 2004521887	T2	20040722	JP 2002-557205	20020117 <--
PT 1353554	T	20041130	PT 2002-710012	20020117 <--
ES 2224051	T3	20050301	ES 2002-2710012	20020117 <--
NZ 527419	A	20050429	NZ 2002-527419	20020117 <--
BG 107964	A	20040227	BG 2003-107964	20030702 <--
US 2004077700	A1	20040422	US 2003-466168	20030714 <--
ZA 2003006358	A	20040830	ZA 2003-6358	20030815 <--

PRIORITY APPLN. INFO.: DE 2001-10102279 A 20010118 <--
DE 2001-10123734 A 20010515 <--
WO 2002-EP411 W 20020117

OTHER SOURCE(S): MARPAT 137:105160
GI



AB The title mixts. comprise a benzophenone I (R1 = Cl, Me, AcO, pivaloyloxy or OH; R2 = Cl or Ne; R3 = H, halo or Me; R4 = alkyl, benzyl, halobenzyl or methylbenzyl) a carbamate II (R = halo, alkyl or haloalkyl; n = 1 or 2) and an azole derivative, such as epoxyconazole, metconazole, propiconazole or tebuconazole.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 11 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:555271 HCAPLUS Full-text



DOCUMENT NUMBER: 137:105159

TITLE: Synergistic *fungicidal* mixtures

INVENTOR(S): Grote, Thomas; Rose, Ingo; **Ammermann, Eberhard**
; **Stierl, Reinhard**; Lorenz, Gisela;
Strathmann, Siegfried; **Scherer, Maria**
; **Schelberger, Klaus**; **Haden, Egon**

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany
 SOURCE: PCT Int. Appl., 16 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002056685	A2	20020725	WO 2002-EP412	20020117 <--
WO 2002056685	A3	20020912		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2002237275	A1	20020730	AU 2002-237275	20020117 <--
EP 1353553	A2	20031022	EP 2002-703556	20020117 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
JP 2004521886	T2	20040722	JP 2002-557204	20020117 <--
US 2004054011	A1	20040318	US 2003-466167	20030714 <--
PRIORITY APPLN. INFO.:				
			DE 2001-10117260	A 20010118 <--
			WO 2002-EP412	W 20020117
OTHER SOURCE(S): MARPAT 137:105159				
GI				



AB The title mixts. contain (a) benzophenones I, where R1 = chloro, Me, methoxy, acetoxy, pivaloyloxy or hydroxy; R2 = chloro or methyl; R3 = H, halogen or Me and R4 = C1-C6 alkyl or benzyl, where the Ph moiety of the benzyl group may be halo- or methyl-substituted, and (b) oxime ethers II, where X = NH or O; R5, R7 = C1-C4 alkyl or cyclopropyl; R6, R8 = C1-C4 alkyl, C3-C4 alkenyl or cyclopropyl.

L63 ANSWER 12 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2002:539456 HCAPLUS Full-text
 DOCUMENT NUMBER: 137:89785
 TITLE: Synergistic **fungicide** mixtures comprising
 imidazole and dithiocarbamate derivatives
 INVENTOR(S): Ptock, Arne; **Ammermann, Eberhard**;
Stierl, Reinhard; Lorenz, Gisela;
Strathmann, Siegfried; **Scherer, Maria**
 ; **Schelberger, Klaus**; Reddig, Achim
 PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany
 SOURCE: PCT Int. Appl., 22 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002054871	A1	20020718	WO 2002-EP236	20020112 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1363498	A1	20031126	EP 2002-712814	20020112 <--
EP 1363498	B1	20050525		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
BR 2002006440	A	20031230	BR 2002-6440	20020112 <--
JP 2004521884	T2	20040722	JP 2002-555621	20020112 <--
AT 296032	E	20050615	AT 2002-712814	20020112 <--
US 2004039039	A1	20040226	US 2003-250569	20030703
PRIORITY APPLN. INFO.:			DE 2001-10101923	A 20010116 <--
			WO 2002-EP236	W 20020112
OTHER SOURCE(S):		MARPAT 137:89785		
GI				



AB The title **fungicide** mixts. contain an imidazole derivative I (R1, R2 = halo, Ph, halophenyl or alkylphenyl; R1C:CR2 = 3,4- difluoromethylenedioxyphenyl; R3 = cyano or halo; R4 = dialkylamino, isoxazol-4-yl or dialkylisoxazol-4-yl) and a dithiocarbamate, i.e. mancozeb, maneb, metiram and/or zineb.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ACCESSION NUMBER: 2002:539455 HCAPLUS Full-text
 DOCUMENT NUMBER: 137:89784
 TITLE: Synergistic **fungicide** mixtures comprising
 imidazole and phenylacetic acid derivatives
 INVENTOR(S): Grote, Thomas; Ptock, Arne; **Ammermann,**
Eberhard; Stierl, Reinhard; Lorenz,
 Gisela; **Strathmann, Siegfried; Scherer,**
Maria; Schelberger, Klaus; Haden,
Egon
 PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany
 SOURCE: PCT Int. Appl., 15 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
WO 2002054870	A2	20020718	WO 2002-EP237	20020112 <--
WO 2002054870	A3	20021212		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1353558	A2	20031022	EP 2002-715416	20020112 <--
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
BR 2002006451	A	20031230	BR 2002-6451	20020112 <--
JP 2004525880	T2	20040826	JP 2002-555620	20020112 <--
US 2004029944	A1	20040212	US 2003-250565	20030703 <--
PRIORITY APPLN. INFO.:			DE 2001-10101921	A 20010116 <--
			WO 2002-EP237	W 20020112
OTHER SOURCE(S):	MARPAT 137:89784			
GI				




* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The title mixts. contain an imidazole derivative I (R1, R2 = halo, Ph, halophenyl or alkylphenyl; R1C:CR2 = 3,4-difluoromethylenedioxyphenyl; R3 = cyano or halo; R4 = dialkylamino, isoxazol-4-yl or dialkylisoxazol-4-yl) and at least one phenylacetic acid derivative II-VI.

L63 ANSWER 14 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2002:539454 HCAPLUS Full-text
 DOCUMENT NUMBER: 137:74800
 TITLE: Synergistic **fungicide** mixtures
 INVENTOR(S): Mueller, Bernd; Ptock, Arne; **Ammermann,**
Eberhard; Stierl, Reinhard; Lorenz,
 Gisela; **Strathmann, Siegfried; Scherer,**

Maria; Schelberger, Klaus; Leyendecker,
 Joachim; Hampel, Manfred
 PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany
 SOURCE: PCT Int. Appl., 26 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002054869	A1	20020718	WO 2002-EP235	20020112 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1353557	A1	20031022	EP 2002-708276	20020112 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
BR 2002006442	A	20031230	BR 2002-6442	20020112 <--
JP 2005511474	T2	20050428	JP 2002-555619	20020112 <--
US 2004044060	A1	20040304	US 2003-250564	20030703 <--
PRIORITY APPLN. INFO.:			DE 2001-10101924	A 20010116 <--
			WO 2002-EP235	W 20020112
OTHER SOURCE(S):		MARPAT 137:74800		
GI				



AB The title mixts. contain an imidazole derivative I (R1, R2 = halo, Ph, halophenyl or alkylphenyl; R3 = CN or halo; R4 = dialkylamino, isoxazol-4-yl

or dialkylisoxazol-4-yl), a carbamate II (Y = halo, alkyl or haloalkyl; n = 1 or 2) or an amide III (Z1, Z2 = halo, NO2, CN, alkyl, alkenyl, etc.).
 REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 15 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:487311 HCAPLUS Full-text

DOCUMENT NUMBER: 137:29440

TITLE: Synergistic **fungicide** mixtures comprising amides and imidazole derivatives

INVENTOR(S): Eicken, Karl; Ptock, Arne; **Ammermann, Eberhard**; **Stierl, Reinhard**; Lorenz, Gisela; **Strathmann, Siegfried**; **Scherer, Maria**; **Schelberger, Klaus**; Hampel, Manfred

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 22 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German



FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002049435	A1	20020627	WO 2001-EP14651	20011213 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2431417	AA	20020627	CA 2001-2431417	20011213 <--
AU 2002016105	A5	20020701	AU 2002-16105	20011213 <--
EP 1345493	A1	20030924	EP 2001-271095	20011213 <--
EP 1345493	B1	20051109		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
BR 2001016240	A	20040106	BR 2001-16240	20011213 <--
JP 2004516256	T2	20040603	JP 2002-550787	20011213 <--
NZ 526902	A	20050324	NZ 2001-526902	20011213 <--
AT 308885	E	20051115	AT 2001-271095	20011213 <--
ES 2250301	T3	20060416	ES 2001-1271095	20011213 <--
CZ 296907	B6	20060712	CZ 2003-1661	20011213 <--
US 2004029930	A1	20040212	US 2003-450129	20030611 <--
ZA 2003005512	A	20040827	ZA 2003-5512	20030717 <--
PRIORITY APPLN. INFO.:			DE 2000-10063047	A 20001218 <--
			WO 2001-EP14651	W 20011213 <--

OTHER SOURCE(S): MARPAT 137:29440

GI



AB The title mixts. contain an amide I (R1, R2 = halo, nitro, cyano, C1-C8 alkyl, C2-C8 alkenyl, C2-C8 alkynyl, C1-C8 haloalkyl, C2-C8 haloalkenyl, C2-C8 haloalkynyl, C1-C8 alkoxy, C1-C8 haloalkoxy, C1-C-8 haloalkylthio, C1-C8 alkylsulfinyl or C1-C8 alkylsulfonyl; x = 1-4; yr= 1-5) an imidazole deriv II (R1, R2 = halo, Ph, halophenyl or alkylphenyl; R1C:CR2 = 3,4-difluoromethylenedioxyphenyl; R3 = cyano or halo; R4 = dialkylamino or isoxazol-4-yl which can have two alkyl radicals).

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 16 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:487310 HCAPLUS Full-text

DOCUMENT NUMBER: 137:29439

TITLE: Synergistic **fungicide** mixtures comprising oxime ether derivatives

INVENTOR(S): Grote, Thomas; **Ammermann, Eberhard;**
Stierl, Reinhard; Lorenz, Gisela;
Strathmann, Siegfried; Schelberger,
Klaus; Haden, Egon

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 25 pp.

CODEN: PIXXD2



DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002049434	A1	20020627	WO 2001-EP14785	20011214 <--
WO 2002049434	C2	20020919		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2002035781	A5	20020701	AU 2002-35781	20011214 <--
JP 2004520303	T2	20040708	JP 2002-550786	20011214 <--
PRIORITY APPLN. INFO.:			DE 2000-10063144	A 20001218 <--
			WO 2001-EP14785	W 20011214 <--
OTHER SOURCE(S):		MARPAT 137:29439		
GI				



AB The title **fungicide** mixts. contain an oxime ether derivative I (X = NH or O; R1, R3 = H, cyano, alkyl, cyclopropyl or haloalkyl; R2, R4 = H, alkyl, alkenyl, alkynyl, haloalkyl, haloalkenyl or haloalkynyl) and II (R1, R2 = alkyl; R3, R4, R5 = H or alkyl; R6 = halo, alkyl or haloalkyl; n = 2, 3 or 4).

REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 17 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:462443 HCAPLUS Full-text

DOCUMENT NUMBER: 137:29431

TITLE: Synergistic **fungicidal** mixtures comprising an amide and spiroxamine

INVENTOR(S): Eicken, Karl; **Ammermann, Eberhard**; **Stierl, Reinhard**; Lorenz, Gisela; **Strathmann, Siegfried**; **Scherer, Maria**; **Schelberger, Klaus**; Hampel, Manfred

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: Eur. Pat. Appl., 12 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1214882	A1	20020619	EP 2001-128601	20011130 <--
EP 1214882	B1	20030502		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
AT 238658	E	20030515	AT 2001-128601	20011130 <--
PT 1214882	T	20030829	PT 2001-128601	20011130 <--
ES 2198383	T3	20040201	ES 2001-1128601	20011130 <--
US 2002123515	A1	20020905	US 2001-12347	20011212 <--
US 6503932	B2	20030107		
JP 2002220307	A2	20020809	JP 2001-380603	20011213 <--
JP 3541189	B2	20040707		

PRIORITY APPLN. INFO.:

DE 2000-10062326 A 20001214 <--

OTHER SOURCE(S): MARPAT 137:29431


GI



AB Synergistic **fungicidal** mixts. comprise and amide I (R1,R2 = halo, cyano, nitro, alkyl, alkenyl, alkynyl, etc.; x = 1-4; yr = 1-5) and spiroxamine.
 REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 18 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2002:462442 HCAPLUS Full-text
 DOCUMENT NUMBER: 137:29430
 TITLE: Synergistic **fungicidal** mixtures comprising amides
 INVENTOR(S): Eicken, Karl; **Ammermann, Eberhard**; **Stierl, Reinhard**; Lorenz, Gisela; **Strathmann, Siegfried**; **Scherer, Maria**; **Schelberger, Klaus**; Hampel, Manfred
 PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany
 SOURCE: Eur. Pat. Appl., 11 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1214881	A1	20020619	EP 2001-128597	20011130 <--
EP 1214881	B1	20030507		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
AT 239373	E	20030515	AT 2001-128597	20011130 <--
PT 1214881	T	20030829	PT 2001-128597	20011130 <--
ES 2199199	T3	20040216	ES 2001-1128597	20011130 <--
JP 2002193708	A2	20020710	JP 2001-379292	20011212 <--
JP 3725820	B2	20051214		
US 2002156108	A1	20021024	US 2001-12346	20011212 <--
US 6515000	B2	20030204		
PRIORITY APPLN. INFO.:			DE 2000-10062327	A 20001214 <--
OTHER SOURCE(S):	MARPAT 137:29430			
GI				



AB Synergistic **fungicidal** mixts. comprise and amide I (R1,R2 = halo, nitro, cyano, alkyl, alkenyl, alkynyl, etc.; x = 1-4; yr = 1-5) and a dinitrophenol derivative, preferably dinocap.

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 19 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:462375 HCAPLUS Full-text

DOCUMENT NUMBER: 137:29428

TITLE: Synergistic **fungicide** mixtures comprising carbamate and imidazole derivatives

INVENTOR(S): Mueller, Bernd; Ptock, Arne; **Ammermann, Eberhard; Stierl, Reinhard**; Lorenz, Gisela; **Strathmann, Siegfried; Scherer, Maria; Schelberger, Klaus**; Leyendecker, Joachim

PATENT ASSIGNEE(S): BASF AG, Germany

SOURCE: Ger. Offen., 8 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent


LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 10063046	A1	20020620	DE 2000-10063046	20001218 <--
CA 2431418	AA	20020627	CA 2001-2431418	20011213 <--
WO 2002049438	A2	20020627	WO 2001-EP14635	20011213 <--
WO 2002049438	A3	20030821		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2002033248	A5	20020701	AU 2002-33248	20011213 <--
EP 1353559	A2	20031022	EP 2001-984832	20011213 <--
EP 1353559	B1	20060621		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
EE 200300299	A	20031215	EE 2003-299	20011213 <--
BR 2001016238	A	20040302	BR 2001-16238	20011213 <--
JP 2004527470	T2	20040909	JP 2002-550790	20011213 <--

AT 330472 E 20060715 AT 2001-984832 20011213 <--
 BG 107858 A 20040227 BG 2003-107858 20030529 <--
 US 2004116492 A1 20040617 US 2003-450130 20030611 <--
 ZA 2003005511 A 20040903 ZA 2003-5511 20030717 <--
 PRIORITY APPLN. INFO.: DE 2000-10063046 A 20001218 <--
 WO 2001-EP14635 W 20011213 <--
 OTHER SOURCE(S): MARPAT 137:29428
 GI



AB Synergistic **fungicides** mixts. comprise a carbamate I (X= CH or N; R = halo, alkyl or halolalkyl ; n = 0, 1 or 2) or their salts or adducts, and an imidazole derivative II (R1, R2 = halo, Ph, halophenyl or alkylphenyl; R1C:CR2 = 3,4-difluormethylendioxyphenyl; R3 cyano or halo; R4 = dialkylamino, isoxazol-4-yl, or dialkylisoxazol-4-yl).

L63 ANSWER 20 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2000:441565 HCAPLUS Full-text

DOCUMENT NUMBER: 133:54841

TITLE: Synergistic **fungicide** mixture

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**

; Saur, Reinhold; Appel, Josef; Leyendecker, Joachim;
Ammermann, Eberhard; Grote, Thomas; Lorenz,
 Gisela; **Strathmann, Siegfried**

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 27 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000036921	A1	20000629	WO 1999-EP9812	19991211 <--
W:	AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW			
RW:	GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
TW 529909	B	20030501	TW 1999-88121485	19991208 <--

CA 2355711	AA	20000629	CA 1999-2355711	19991211 <--
BR 9916453	A	20010904	BR 1999-16453	19991211 <--
EP 1139758	A1	20011010	EP 1999-963499	19991211 <--
EP 1139758	B1	20030502		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2002532524	T2	20021002	JP 2000-589043	19991211 <--
AT 238665	E	20030515	AT 1999-963499	19991211 <--
NZ 512934	A	20030630	NZ 1999-512934	19991211 <--
PT 1139758	T	20030930	PT 1999-963499	19991211 <--
AU 769532	B2	20040129	AU 2000-19775	19991211 <--
ES 2198982	T3	20040201	ES 1999-963499	19991211 <--
SK 284861	B6	20060105	SK 2001-883	19991211 <--
US 6541500	B1	20030401	US 2001-868724	20010621 <--
ZA 2001005979	A	20020722	ZA 2001-5979	20010720 <--
PRIORITY APPLN. INFO.:			DE 1998-19859250	A 19981222 <--
			WO 1999-EP9812	W 19991211 <--
OTHER SOURCE(S):		MARPAT 133:54841		
GI				



I



II

AB Synergistic **fungicide** mixts. comprise a quinoline derivative I or its N-oxide or salt [R1, R2, R3, R4 = H, OH, nitro, halo, C1-4 (halo)alkyl, C1-4 (halo)alkoxy or C1-4 (halo)alkylthio; R5, R6, R7 = H, OH, cyano, nitro, C1-7 (halo)alkyl, C1-7 (halo)alkoxy, C1-7 (halo)alkylthio, C1-7 hydroxyalkyl, C2-4 acyl, (un)substituted aryl or aryloxy] and a carbamate II [T = CH or N; n = 0, 1 or 2; R = halo or C1-4 (halo)alkyl].

REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 21 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2000:416719 HCAPLUS Full-text



DOCUMENT NUMBER: 133:27651

TITLE: Synergistic **fungicidal** mixtures comprising morpholine or piperidine derivatives and oxime ether derivatives

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Saur, Reinhold; Eicken, Karl; **Haden, Egon;**
Ammermann, Eberhard; Grote, Thomas; Lorenz,
Gisela; **Strathmann, Siegfried**

PATENT ASSIGNEE(S): BASF A.-G., Germany
 SOURCE: Ger. Offen., 12 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 19858911	A1	20000621	DE 1998-19858911	19981219 <--
TW 585741	B	20040501	TW 1999-88120875	19991130 <--
CA 2356114	AA	20000629	CA 1999-2356114	19991211 <--
WO 2000036917	A1	20000629	WO 1999-EP9803	19991211 <--
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
BR 9916383	A	20010911	BR 1999-16383	19991211 <--
EP 1139749	A1	20011010	EP 1999-967931	19991211 <--
EP 1139749	B1	20030502		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2002532522	T2	20021002	JP 2000-589040	19991211 <--
AT 238657	E	20030515	AT 1999-967931	19991211 <--
PT 1139749	T	20030930	PT 1999-967931	19991211 <--
ES 2198986	T3	20040201	ES 1999-967931	19991211 <--
AU 771670	B2	20040401	AU 2000-24311	19991211 <--
CZ 294893	B6	20050413	CZ 2001-2196	19991211 <--
US 7026315	B1	20060411	US 2001-868515	20010618 <--
ZA 2001005911	A	20020718	ZA 2001-5911	20010718 <--
US 2006154924	A1	20060713	US 2006-332221	20060117 <--
PRIORITY APPLN. INFO.:			DE 1998-19858911	A 19981219 <--
			WO 1999-EP9803	W 19991211 <--
			US 2001-868515	A3 20010618 <--
OTHER SOURCE(S):			MARPAT 133:27651	
GI				



AB The title mixts. comprise fenpropimorph, fenpropidine or I (n = 10,11,12 or 13) and an oxime ether II [X1-X5 = H, halo, Cl-4 (halo)alkyl, Cl-4 (halo)alkoxy, Cl-4 alkylthio, Cl-4 thioalkoxy, Cl-4 sulfonylalkyl, nitro,

amino, C1-4 carboxylamino or C1-4 alkylamino; R1 = C1-4 alkyl, C2-6 alkenyl, C2-6 alkynyl, etc.; R2 = (un)substituted Ph or 5- or 6-membered heterocyclyl; R3, R4 = H, C1-4, (halo)alkyl, C1-4 (halo)alkoxy, etc.].

L63 ANSWER 22 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2000:367993 HCAPLUS Full-text

DOCUMENT NUMBER: 133:1743

TITLE: Synergistic *fungicidal* mixtures

INVENTOR(S): *Schelberger, Klaus; Scherer, Maria*

; Saur, Reinhold; Sauter, Hubert; Muller, Bernd;
Birner, Erich; Leyendecker, Joachim; *Ammermann,*
Eberhard; Lorenz, Gisela; *Strathmann,*
Siegfried

PATENT ASSIGNEE(S): BASF A.-G., Germany

SOURCE: PCT Int. Appl., 22 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000030450	A1	20000602	WO 1999-EP8512	19991106 <--
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2351819	AA	20000602	CA 1999-2351819	19991106 <--
BR 9915503	A	20010807	BR 1999-15503	19991106 <--
EP 1130967	A1	20010912	EP 1999-972495	19991106 <--
EP 1130967	B1	20030723		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2002530303	T2	20020917	JP 2000-583348	19991106 <--
AT 245354	E	20030815	AT 1999-972495	19991106 <--
NZ 512191	A	20030829	NZ 1999-512191	19991106 <--
AU 767577	B2	20031120	AU 2000-11609	19991106 <--
PT 1130967	T	20031128	PT 1999-972495	19991106 <--
CZ 293437	B6	20040414	CZ 2001-1737	19991106 <--
ES 2204196	T3	20040416	ES 1999-972495	19991106 <--
RU 2244420	C2	20050120	RU 2001-116595	19991106 <--
SK 284747	B6	20051103	SK 2001-678	19991106 <--
IL 143101	A1	20051218	IL 1999-143101	19991106 <--
US 6503936	B1	20030107	US 2001-856034	20010517 <--
BG 105537	A	20020430	BG 2001-105537	20010522 <--
ZA 2001004962	A	20020618	ZA 2001-4962	20010618 <--
PRIORITY APPLN. INFO.:			DE 1998-19853503	A 19981119 <--
			WO 1999-EP8512	W 19991106 <--

OTHER SOURCE(S): MARPAT 133:1743

GI



AB A synergistic **fungicidal** mixture contains a carbamate I [X = CH or N; n = 0, 1 or 2 ; R = halo or C1-4 (halo)alkyl] and a copper compound
 REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 23 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:722844 HCAPLUS Full-text

DOCUMENT NUMBER: 131:318921

TITLE: Synergistic **fungicidal** mixtures

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
 ; Saur, Reinhold; Eicken, Karl; Sauter, Hubert;
Ammermann, Eberhard; Grote, Thomas; Lorenz,
 Gisela; **Strathmann, Siegfried**

PATENT ASSIGNEE(S): BASF A.-G., Germany

SOURCE: PCT Int. Appl., 23 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9956551	A1	19991111	WO 1999-EP2729	19990423 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, IN, JP, KR, KZ, LT, LV, MK, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, ZA, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2330607	AA	19991111	CA 1999-2330607	19990423 <--
AU 9938208	A1	19991123	AU 1999-38208	19990423 <--
AU 753134	B2	20021010		
BR 9910177	A	20010109	BR 1999-10177	19990423 <--
EP 1083792	A1	20010321	EP 1999-920748	19990423 <--
EP 1083792	B1	20030924		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI				
JP 2002513040	T2	20020508	JP 2000-546597	19990423 <--
NZ 508515	A	20030530	NZ 1999-508515	19990423 <--
AT 250341	E	20031015	AT 1999-920748	19990423 <--
PT 1083792	T	20040227	PT 1999-920748	19990423 <--
CZ 293446	B6	20040414	CZ 2000-4048	19990423 <--
ES 2204128	T3	20040416	ES 1999-920748	19990423 <--
SK 284634	B6	20050804	SK 2000-1642	19990423 <--
IL 139271	A1	20050831	IL 1999-139271	19990423 <--
TW 581659	B	20040401	TW 1999-88107242	19990504 <--
US 6436979	B1	20020820	US 2000-674542	20001102 <--
PRIORITY APPLN. INFO.:				
			DE 1998-19819628	A 19980504 <--
			WO 1999-EP2729	W 19990423 <--

OTHER SOURCE(S):
GI

MARPAT 131:318921



AB The title mixts. comprise a carbamate I (T = CH or N; n = 0, 1 or 2; R = halo, C1-4 alkyl or alkyl halide), the oxime ether carboxylic acid ester II or the oxime ether carboxylic acid amide III and IV [R1 = (un)substituted C1-4 alkyl, C2-4 alkenyl, C2-4 alkynyl or alkylcycloalkyl; R2 = C1-4 alkyl or alkyl halide; R3 = H, halo, C1-4 alkyl, alkoxy, alkylthio, alkylamino, alkyl halide or haloalkoxy; Y = O, S, CHR4 or NR5; R4, R5 = R2; n = 0, 1, 2 or 3].

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 24 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:425732 HCAPLUS Full-text

DOCUMENT NUMBER: 131:55183

TITLE: Synergistic **fungicide** mixtures comprising amides.

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Eicken, Karl; Hampel, Manfred; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 30 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:



PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9931951	A2	19990701	WO 1998-EP8225	19981215 <--
WO 9931951	A3	19990826		

W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT,

LV, MK, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ,
 KG, MD, TJ, TM
 RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL,
 PT, SE

CA 2313333	AA	19990701	CA 1998-2313333	19981215 <--
AU 9919684	A1	19990712	AU 1999-19684	19981215 <--
AU 753485	B2	20021017		
EP 1039805	A2	20001004	EP 1998-964520	19981215 <--
EP 1039805	B1	20021106		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
BR 9813664	A	20001219	BR 1998-13664	19981215 <--
JP 2001526185	T2	20011218	JP 2000-524966	19981215 <--
EP 1228691	A2	20020807	EP 2002-10311	19981215 <--
EP 1228691	A3	20020814		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
AT 227080	E	20021115	AT 1998-964520	19981215 <--
PT 1039805	T	20030228	PT 1998-964520	19981215 <--
ES 2187077	T3	20030516	ES 1998-964520	19981215 <--
NZ 505624	A	20030630	NZ 1998-505624	19981215 <--
CZ 295592	B6	20050817	CZ 2000-2224	19981215 <--
PL 191155	B1	20060331	PL 1998-341738	19981215 <--
ZA 9811561	A	20000619	ZA 1998-11561	19981217 <--
TW 433980	B	20010516	TW 1998-87121220	19981218 <--
US 6407126	B1	20020618	US 2000-581905	20000619 <--
PRIORITY APPLN. INFO.:				
			DE 1997-19756378	A 19971218 <--
			EP 1998-964520	A3 19981215 <--
			WO 1998-EP8225	W 19981215 <--

OTHER SOURCE(S): MARPAT 131:55183
 GI



AB The title mixts. comprise an amide ACONHR [A = (un)substituted aryl or aromatic or nonarom. 5- or 6-membered heterocyclyl containing 1-3 heteroatoms (O, N, S); R = (un)substituted Ph or cycloalkyl; the amidic Ph can be

condensed with an (un)substituted 5-membered ring, optionally containing an heteroatom (O or S)], a dithiocarbamate (maneb, mancozeb, metiram or zineb) and/or propamocarb and/or a N-acetylbenzamide I (R1, R3 = halo or C1-4 alkyl; R2 = cyano, C1-4 alkyl, C2-4 alkenyl, C2-4 alkynyl or C1-4 alkoxy; R4 = H or C1-4 alkyl; R5 = C2-4 alkyl; R6 = thiocyno, isothiocyno or halo) or their salts or adducts, and/or fosetyl-Al or related compds. and/or famoxadone and/or an imidazoline derivative II [R7-10 = H, (un)substituted C1-6 (halo)alkyl, C2-6 alkenyl, etc.; W = O, S or SO].

L63 ANSWER 25 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:421522 HCAPLUS Full-text

DOCUMENT NUMBER: 131:55181

TITLE: Synergistic **fungicide** mixtures comprising amides and morpholine or piperidine derivatives

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Eicken, Karl; Hampel, Manfred; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 36 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9931986	A1	19990701	WO 1998-EP8229	19981215 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MK, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2313332	AA	19990701	CA 1998-2313332	19981215 <--
AU 9922733	A1	19990712	AU 1999-22733	19981215 <--
AU 752772	B2	20020926		
ZA 9811491	A	20000615	ZA 1998-11491	19981215 <--
BR 9813678	A	20001003	BR 1998-13678	19981215 <--
EP 1041883	A1	20001011	EP 1998-966339	19981215 <--
EP 1041883	B1	20020904		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2001526193	T2	20011218	JP 2000-524999	19981215 <--
AT 223154	E	20020915	AT 1998-966339	19981215 <--
PT 1041883	T	20030131	PT 1998-966339	19981215 <--
NZ 505596	A	20030228	NZ 1998-505596	19981215 <--
ES 2183440	T3	20030316	ES 1998-966339	19981215 <--
CZ 295845	B6	20051116	CZ 2000-2252	19981215 <--
SK 284939	B6	20060202	SK 2000-817	19981215 <--
PL 191024	B1	20060331	PL 1998-341340	19981215 <--
TW 448036	B	20010801	TW 1998-87120896	19981216 <--
US 6777411	B1	20040817	US 2000-581906	20000619 <--
PRIORITY APPLN. INFO.:			DE 1997-19756406	A 19971218 <--
			WO 1998-EP8229	W 19981215 <--

OTHER SOURCE(S): MARPAT 131:55181

AB The title mixts. contain an amide ACONHR [A = (un)substituted aryl or an aromatic or nonarom., 5- or 6-membered heterocyclyl having 1 to 3 heteroatoms (O, N, S); R = (un)substituted Ph or cycloalkyl; the amidic Ph is optionally

condensed with a (un)saturated saturated 5-membered ring , optionally contg a heteroatom (O, S)] and a morpholine derivative or piperidine derivative
REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 26 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:421521 HCAPLUS Full-text

DOCUMENT NUMBER: 131:55180

TITLE: Synergistic **fungicide** mixtures comprising amides and fenarimol

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Eicken, Karl; Hampel, Manfred; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 32 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9931985	A1	19990701	WO 1998-EP8228	19981215 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MK, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2313323	AA	19990701	CA 1998-2313323	19981215 <--
AU 9919685	A1	19990712	AU 1999-19685	19981215 <--
AU 752930	B2	20021003		
ZA 9811492	A	20000615	ZA 1998-11492	19981215 <--
EP 1039806	A1	20001004	EP 1998-964521	19981215 <--
EP 1039806	B1	20030507		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
BR 9813665	A	20001010	BR 1998-13665	19981215 <--
JP 2001526192	T2	20011218	JP 2000-524998	19981215 <--
NZ 505598	A	20030328	NZ 1998-505598	19981215 <--
AT 239372	E	20030515	AT 1998-964521	19981215 <--
PT 1039806	T	20030930	PT 1998-964521	19981215 <--
ES 2200404	T3	20040301	ES 1998-964521	19981215 <--
CZ 294736	B6	20050316	CZ 2000-2226	19981215 <--
SK 284885	B6	20060202	SK 2000-816	19981215 <--
PL 191226	B1	20060331	PL 1998-341341	19981215 <--
TW 482652	B	20020411	TW 1998-87120895	19981216 <--
US 6372748	B1	20020416	US 2000-581426	20000613 <--
PRIORITY APPLN. INFO.:			DE 1997-19756387	A 19971218 <--
			WO 1998-EP8228	W 19981215 <--

OTHER SOURCE(S): MARPAT 131:55180

AB The title mixts. comprise fenarimol and an amide ACONHR [A =(un)substituted aryl or aromatic or nonarom., 5- or 6-membered heterocyclyl having 1 to 3 heteroatoms (O, N, S); R = (un)substituted Ph or cycloalkyl; Ph is optionally condensed with an (un)substituted 5-membered ring which can comprise an heteroatom (O,S)].

REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ACCESSION NUMBER: 1999:421520 HCAPLUS Full-text

DOCUMENT NUMBER: 131:55179

TITLE: Synergistic **fungicide** mixtures comprising amides and benzimidazole derivatives.INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Eicken, Karl; Hampel, Manfred; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 35 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9931984	A1	19990701	WO 1998-EP8227	19981215 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MK, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
TW 450788	B	20010821	TW 1998-87120734	19981214 <--
CA 2313187	AA	19990701	CA 1998-2313187	19981215 <--
AU 9924138	A1	19990712	AU 1999-24138	19981215 <--
AU 753264	B2	20021010		
BR 9813667	A	20001010	BR 1998-13667	19981215 <--
EP 1041884	A1	20001011	EP 1998-966622	19981215 <--
EP 1041884	B1	20020925		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2001526191	T2	20011218	JP 2000-524997	19981215 <--
AT 224642	E	20021015	AT 1998-966622	19981215 <--
PT 1041884	T	20030228	PT 1998-966622	19981215 <--
ES 2184357	T3	20030401	ES 1998-966622	19981215 <--
NZ 505548	A	20030829	NZ 1998-505548	19981215 <--
CZ 295240	B6	20050615	CZ 2000-2250	19981215 <--
SK 284850	B6	20060105	SK 2000-810	19981215 <--
PL 191224	B1	20060331	PL 1998-341315	19981215 <--
ZA 9811558	A	20000619	ZA 1998-11558	19981217 <--
US 6569875	B1	20030527	US 2000-581431	20000613 <--
PRIORITY APPLN. INFO.:			DE 1997-19756384	A 19971218 <--
			WO 1998-EP8227	W 19981215 <--

OTHER SOURCE(S): MARPAT 131:55179

AB The title mixts. comprise an amide ACONHR [A = (un)substituted aryl or aromatic or nonarom. 5- or 6-membered heterocyclyl having 1 to 3 heteroatoms (O, N, S); R = (un)substituted Ph or cycloalkyl; the Ph is optionally condensed with an (un)substituted saturated 5-membered ring] and a **fungicidal** benzimidazole derivative, such as benomyl, carbendazim, debacarb, fuberidazole, thiabendazole and thiophanate-Me.

REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT.

ACCESSION NUMBER: 1999:421519 HCAPLUS Full-text

DOCUMENT NUMBER: 131:55178

TITLE: Synergistic **fungicide** mixtures comprising

amides and chlorothalonil

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Eicken, Karl; Hampel, Manfred; **Ammermann,**
Eberhard; Lorenz, Gisela; **Strathmann,**
Siegfried

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 32 pp.
CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9931983	A1	19990701	WO 1998-EP8226	19981215 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MK, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
TW 491686	B	20020621	TW 1998-87120736	19981214 <--
CA 2312994	AA	19990701	CA 1998-2312994	19981215 <--
AU 9922732	A1	19990712	AU 1999-22732	19981215 <--
AU 750991	B2	20020808		
EP 1039807	A1	20001004	EP 1998-966338	19981215 <--
EP 1039807	B1	20020904		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
BR 9813682	A	20001010	BR 1998-13682	19981215 <--
JP 2001526190	T2	20011218	JP 2000-524996	19981215 <--
AT 223153	E	20020915	AT 1998-966338	19981215 <--
PT 1039807	T	20030131	PT 1998-966338	19981215 <--
NZ 505623	A	20030228	NZ 1998-505623	19981215 <--
ES 2183439	T3	20030316	ES 1998-966338	19981215 <--
SK 283641	B6	20031104	SK 2000-815	19981215 <--
CZ 293651	B6	20040616	CZ 2000-2227	19981215 <--
PL 191033	B1	20060331	PL 1998-341310	19981215 <--
ZA 9811559	A	20000619	ZA 1998-11559	19981217 <--
US 6410572	B1	20020625	US 2000-581795	20000619 <--
PRIORITY APPLN. INFO.:			DE 1997-19756385	A 19971218 <--
			WO 1998-EP8226	W 19981215 <--

OTHER SOURCE(S): MARPAT 131:55178

AB The title mixts. comprise chlorothalonil and an amide ACONHR [A = (un)substituted aryl or an aromatic or nonarom., 5- or 6-membered heterocyclyl having 1 to 3 heteroatoms (O, N, S); R = (un)substituted Ph or cycloalkyl; the amidic Ph group is optionally condensed with a (un)substituted saturated 5-membered ring which can comprise a heteroatom (O,S)].

REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 29 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:421518 HCAPLUS Full-text

DOCUMENT NUMBER: 131:55177


TITLE: Synergistic **fungicide** mixtures comprising amides.

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Eicken, Karl; Hampel, Manfred; **Ammermann,**
Eberhard; Lorenz, Gisela; **Strathmann,**
Siegfried

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany
 SOURCE: PCT Int. Appl., 33 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9931981	A2	19990701	WO 1998-EP8231	19981215 <--
WO 9931981	A3	19990826		
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MK, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2313322	AA	19990701	CA 1998-2313322	19981215 <--
AU 9924139	A1	19990712	AU 1999-24139	19981215 <--
AU 754336	B2	20021114		
EP 1039803	A2	20001004	EP 1998-966623	19981215 <--
EP 1039803	B1	20020828		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
BR 9813681	A	20001010	BR 1998-13681	19981215 <--
JP 2001526189	T2	20011218	JP 2000-524994	19981215 <--
AT 222695	E	20020915	AT 1998-966623	19981215 <--
PT 1039803	T	20030131	PT 1998-966623	19981215 <--
ES 2183441	T3	20030316	ES 1998-966623	19981215 <--
NZ 505625	A	20030429	NZ 1998-505625	19981215 <--
CZ 294407	B6	20041215	CZ 2000-2225	19981215 <--
AT 292384	E	20050415	AT 2001-129795	19981215 <--
EP 1541024	A2	20050615	EP 2005-6154	19981215 <--
EP 1541024	A3	20060125		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, MK, CY, AL				
ES 2239645	T3	20051001	ES 2001-129795	19981215 <--
TW 450787	B	20010821	TW 1998-87120897	19981216 <--
ZA 9811555	A	20000619	ZA 1998-11555	19981217 <--
US 6365608	B1	20020402	US 2000-581833	20000619 <--
EP 1201126	A2	20020502	EP 2001-129795	20011214 <--
EP 1201126	A3	20020821		
EP 1201126	B1	20050406		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
US 2003036480	A1	20030220	US 2002-44255	20020114 <--
US 6903108	B2	20050607		
AU 2003200295	B2	20060105	AU 2003-200295	20030130 <--
AU 2005242192	A1	20060105	AU 2005-242192	20051209
AU 2005242193	A1	20060105	AU 2005-242193	20051209 <--
AU 2006201406	A1	20060427	AU 2006-201406	20060404
PRIORITY APPLN. INFO.:				
			DE 1997-19756379	A 19971218 <--
			AU 1999-24139	A3 19981215 <--
			EP 1998-966623	A3 19981215 <--
			WO 1998-EP8231	W 19981215 <--
			US 2000-581833	A3 20000619 <--
			EP 2001-129795	A3 20011214 <--
			AU 2003-200295	A3 20030130

OTHER SOURCE(S): MARPAT 131:55177
 GI



AB The title mixts. comprise an amide ACONHR1 [A = (un)substituted aryl or aromatic or nonarom. 5- or 6-membered heterocyclyl having 1 to 3 heteroatoms (O, N, S); R1 = (un)substituted Ph or cycloalkyl; the amidic Ph is optionally condensed with an (un)substituted saturated 5-membered ring] and a dicarboximide **fungicide** (chlozolate, iprodione, procymidone, vinclozolin) and/or a pyrimidine derivative I (R = Me, propyn-1-yl or cyclopropyl), fludioxonil or fenpiclonil and/or captan, folpet or captafol and/or fluazinam and/or dichlofluanid or tolylfluanid.

L63 ANSWER 30 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:421517 HCAPLUS Full-text

DOCUMENT NUMBER: 131:55176

TITLE: Synergistic **fungicide** mixtures comprising amides

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Eicken, Karl; Hampel, Manfred; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 35 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9931980	A2	19990701	WO 1998-EP8223	19981215 <--
WO 9931980	A3	19991007		
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MK, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
TW 464471	B	20011121	TW 1998-87120735	19981214 <--
CA 2313389	AA	19990701	CA 1998-2313389	19981215 <--
CA 2543119	AA	19990701	CA 1998-2543119	19981215 <--
AU 9924137	A1	19990712	AU 1999-24137	19981215 <--
AU 752763	B2	20020926		
BR 9813709	A	20001010	BR 1998-13709	19981215 <--
EP 1041881	A2	20001011	EP 1998-966621	19981215 <--
EP 1041881	B1	20021106		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2001526188	T2	20011218	JP 2000-524993	19981215 <--
EP 1201127	A1	20020502	EP 2001-129796	19981215 <--
EP 1201127	B1	20040331		

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL

AT 227078	E	20021115	AT 1998-966621	19981215 <--
NZ 505547	A	20030328	NZ 1998-505547	19981215 <--
PT 1041881	T	20030331	PT 1998-966621	19981215 <--
ES 2188041	T3	20030616	ES 1998-966621	19981215 <--
SK 283648	B6	20031104	SK 2000-809	19981215 <--
AT 262787	E	20040415	AT 2001-129796	19981215 <--
PT 1201127	T	20040831	PT 2001-129796	19981215 <--
ES 2218331	T3	20041116	ES 2001-129796	19981215 <--
CN 1650707	A	20050810	CN 2005-10004316	19981215 <--
ZA 9811556	A	20000619	ZA 1998-11556	19981217 <--
US 6346538	B1	20020212	US 2000-581444	20000613 <--
US 6489348	B2	20021203	US 2001-960485	20010924 <--
US 2003004184	A1	20030102		
AU 2002302114	A1	20030320	AU 2002-302114	20021121 <--
PRIORITY APPLN. INFO.:			DE 1997-19756380	A 19971218 <--
			AU 1999-24137	A 19981215 <--
			CA 1998-2313389	A3 19981215 <--
			EP 1998-966621	A3 19981215 <--
			WO 1998-EP8223	W 19981215 <--
			US 2000-581444	A3 20000613 <--

OTHER SOURCE(S): MARPAT 131:55176
GI



AB The title mixts. comprise an amide ACONHR [A = (un)substituted aryl or aromatic or nonarom. heterocyclyl containing 1-3 heteroatoms (O,N,S); R = (un)substituted Ph or cycloalkyl; the amidic Ph can be condensed with an optionally alkyl-substituted saturated 5-membered ring which may contain O or S heteroatoms], a 4-phenoxyquinoline derivative or its N-oxide or salt and/or I [X1-5 = H, halo, (halo)alkyl, (halo)alkoxy, alkylthio, etc.; R1 = alkyl, alkenyl, alkynyl, alkylcycloalkyl, etc.; R2 = (un)substituted Ph or heterocyclyl; R3, R4 = H alkyl, alkoxy, alkylthio, etc.].

L63 ANSWER 31 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:421516 HCAPLUS Full-text

DOCUMENT NUMBER: 131:55175

TITLE: Synergistic **fungicide** mixtures comprising amides and azoles

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Eicken, Karl; Hampel, Manfred; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 36 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9931979	A1	19990701	WO 1998-EP8224	19981215 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MK, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
TW 431861	B	20010501	TW 1998-87120726	19981214 <--
CA 2313479	AA	19990701	CA 1998-2313479	19981215 <--
AU 9922731	A1	19990712	AU 1999-22731	19981215 <--
AU 750310	B2	20020718		
BR 9813573	A	20001010	BR 1998-13573	19981215 <--
EP 1047300	A1	20001102	EP 1998-966337	19981215 <--
EP 1047300	B1	20030813		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2001526187	T2	20011218	JP 2000-524992	19981215 <--
NZ 505597	A	20030630	NZ 1998-505597	19981215 <--
AT 246876	E	20030815	AT 1998-966337	19981215 <--
PT 1047300	T	20031231	PT 1998-966337	19981215 <--
CZ 293009	B6	20040114	CZ 2000-2228	19981215 <--
ES 2204005	T3	20040416	ES 1998-966337	19981215 <--
SK 284960	B6	20060302	SK 2000-814	19981215 <--
PL 191225	B1	20060331	PL 1998-341317	19981215 <--
ZA 9811557	A	20000619	ZA 1998-11557	19981217 <--
US 6350765	B1	20020226	US 2000-581796	20000619 <--
PRIORITY APPLN. INFO.:			DE 1997-19756405	A 19971218 <--
			WO 1998-EP8224	W 19981215 <--

OTHER SOURCE(S): MARPAT 131:55175

AB The title mixts. comprise an amide ACONHR [A = (un)substituted aryl or aromatic or nonarom. 5- or 6-membered heterocyclyl having 1 to 3 heteroatoms (O,N,S); R = (un)substituted Ph or cycloalkyl; the amidic Ph is optionally condensed with an (un)substituted saturated 5-membered ring which can comprise a heteroatom (O,S)] and an azole derivative, such as bromuconazole, cyproconazole, difenoconazole, diniconazole, epoxiconazole, fenbuconazole, etc.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 32 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:421514 HCAPLUS Full-text

DOCUMENT NUMBER: 131:40953

TITLE: Synergistic **fungicide** mixtures comprising an amide

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Eicken, Karl; Hampel, Manfred; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 31 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9931976	A2	19990701	WO 1998-EP8230	19981215 <--
WO 9931976	A3	19990826		
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MK, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2312993	AA	19990701	CA 1998-2312993	19981215 <--
AU 9920540	A1	19990712	AU 1999-20540	19981215 <--
AU 754335	B2	20021114		
EP 1039800	A2	20001004	EP 1998-965270	19981215 <--
EP 1039800	B1	20021009		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
BR 9813669	A	20001212	BR 1998-13669	19981215 <--
JP 2001526186	T2	20011218	JP 2000-524989	19981215 <--
EP 1201128	A2	20020502	EP 2001-129797	19981215 <--
EP 1201128	A3	20020821		
EP 1201128	B1	20050928		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
AT 225602	E	20021015	AT 1998-965270	19981215 <--
PT 1039800	T	20030228	PT 1998-965270	19981215 <--
ES 2185246	T3	20030416	ES 1998-965270	19981215 <--
NZ 505546	A	20030530	NZ 1998-505546	19981215 <--
CZ 294611	B6	20050216	CZ 2000-2251	19981215 <--
AT 305219	E	20051015	AT 2001-129797	19981215 <--
PT 1201128	T	20051130	PT 2001-129797	19981215 <--
ES 2249377	T3	20060401	ES 2001-129797	19981215 <--
PL 191333	B1	20060428	PL 1998-341813	19981215 <--
ZA 9811560	A	20000619	ZA 1998-11560	19981217 <--
US 6436934	B1	20020820	US 2000-581834	20000619 <--
US 2002193372	A1	20021219	US 2002-183618	20020628 <--
US 7109221	B2	20060919		
PRIORITY APPLN. INFO.:			DE 1997-19756382	A 19971218 <--
			EP 1998-965270	A3 19981215 <--
			WO 1998-EP8230	W 19981215 <--
			US 2000-581834	A3 20000619 <--

OTHER SOURCE(S): MARPAT 131:40953

AB The title mixts. comprise an amide ACONHR [A = (un)substituted aryl or aromatic or nonarom. heterocyclyl containing 1-3 heteroatoms (O, N or S); R = (un)substituted Ph or cycloalkyl; the Ph can be condensed with an (un)substituted saturated 5-membered ring, optionally containing a heteroatom (O or S)], dimethomorph or flumetover, and/or a valine amide R1OCONHCH(CHMe2)CONHCHMeR2 (R1 = C3-4 alkyl; R2 = naphthyl or (un)substituted Ph) and/or benalaxyl, ofurace, metalaxyl, furalaxyl, or oxadixyl and/or 1-(2-cyano-2-methoxyiminoacetyl)-3-ethylurea.

L63 ANSWER 33 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN


ACCESSION NUMBER: 1999:27682 HCAPLUS Full-text

DOCUMENT NUMBER: 130:77473

TITLE: Synergistic *fungicide* mixturesINVENTOR(S): *Schelberger, Klaus; Scherer, Maria*; Sauter, Hubert; Muller, Bernd; Birner, Erich;
Leyendecker, Joachim; *Ammermann, Eberhard*;

PATENT ASSIGNEE(S): Lorenz, Gisela; **Strathmann, Siegfried**
 SOURCE: BASF A.-G., Germany
 PCT Int. Appl., 23 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9858544	A1	19981230	WO 1998-EP3367	19980605 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2293333	AA	19981230	CA 1998-2293333	19980605 <--
AU 9884363	A1	19990104	AU 1998-84363	19980605 <--
AU 748682	B2	20020613		
EP 989806	A1	20000405	EP 1998-934917	19980605 <--
EP 989806	B1	20030423		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
BR 9810156	A	20000808	BR 1998-10156	19980605 <--
NZ 502293	A	20010727	NZ 1998-502293	19980605 <--
JP 2002504131	T2	20020205	JP 1999-503668	19980605 <--
AT 237939	E	20030515	AT 1998-934917	19980605 <--
PT 989806	T	20030829	PT 1998-934917	19980605 <--
IL 133248	A1	20031123	IL 1998-133248	19980605 <--
SK 283740	B6	20031202	SK 1999-1671	19980605 <--
ES 2198730	T3	20040201	ES 1998-934917	19980605 <--
CZ 295504	B6	20050817	CZ 1999-4542	19980605 <--
PL 189556	B1	20050831	PL 1998-337656	19980605 <--
TW 576715	B	20040221	TW 1998-87109336	19980612 <--
ZA 9805276	A	19991220	ZA 1998-5276	19980618 <--
MX 9911268	A	20000430	MX 1999-11268	19991206 <--
US 6365614	B1	20020402	US 1999-445185	19991208 <--
PRIORITY APPLN. INFO.:			DE 1997-19725947	A 19970619 <--
			WO 1998-EP3367	W 19980605 <--
OTHER SOURCE(S):			MARPAT 130:77473	
GI				



AB The title mixts. contain a carbamate I (T = CH or N; n = 0, 1 or 2; R = halo , C1-4 alkyl or haloalkyl) or an oxime ether carboxylic acid ester II or III and Galben, ofurace, Ridomil, Sandofan C and/or Fongaride.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 34 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1998:804131 HCAPLUS Full-text

DOCUMENT NUMBER: 130:48705

TITLE: Synergistic **fungicidal** mixtures

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Sauter, Hubert; Hampel, Manfred; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**; Irwin, Peter; Gold, Randall Evan

PATENT ASSIGNEE(S): Basf A.-G., Germany

SOURCE: PCT Int. Appl., 17 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9854965	A1	19981210	WO 1998-EP2947	19980520 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
US 5866599	A	19990202	US 1997-870363	19970606 <--
AU 9880187	A1	19981221	AU 1998-80187	19980520 <--
PRIORITY APPLN. INFO.:			US 1997-870363	A 19970606 <--
			WO 1998-EP2947	W 19980520 <--

GI



AB The title mixts. comprise a Ph benzyl ether I, II or III and fluazinam.
REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 35 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1998:804130 HCAPLUS Full-text

DOCUMENT NUMBER: 130:48704

TITLE: Synergistic **fungicidal** mixtures

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Sauter, Hubert; Hampel, Manfred; Leyendecker,
Joachim; **Ammermann, Eberhard**; Lorenz,
Gisela; **Strathmann, Siegfried**; Irwin, Peter;
Gold, Randall Evan

PATENT ASSIGNEE(S): Basf A.-G., Germany; et al.

SOURCE: PCT Int. Appl., 19 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9854964	A1	19981210	WO 1998-EP2944	19980520 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2292761	AA	19981210	CA 1998-2292761	19980520 <--
AU 9881052	A1	19981221	AU 1998-81052	19980520 <--
EP 987944	A1	20000329	EP 1998-930708	19980520 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
BR 9809959	A	20000801	BR 1998-9959	19980520 <--
NZ 501985	A	20010727	NZ 1998-501985	19980520 <--
JP 2002503233	T2	20020129	JP 1999-501390	19980520 <--
ZA 9804868	A	19991206	ZA 1998-4868	19980605 <--
US 6090835	A	20000718	US 1998-151810	19980914 <--
MX 9910673	A	20000331	MX 1999-10673	19991119 <--
PRIORITY APPLN. INFO.:			US 1997-870361	A 19970606 <--
			WO 1998-EP2944	W 19980520 <--
OTHER SOURCE(S):	MARPAT 130:48704			
GI				

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The title mixts. comprise a Ph benzyl ether I, II or III or a carbamate IV (X = CH or N: n = 0, 1 or 2; R = halo, Cl-4 alkyl or haloalkyl) and dicarboximide **fungicide**.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT



L63 ANSWER 36 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1998:793053 HCAPLUS Full-text

DOCUMENT NUMBER: 130:34479

TITLE: Synergistic **fungicidal** mixtures
 INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
 ; Saur, Reinhold; Sauter, Hubert; Muller, Bernd;
 Birner, Erich; Leyendecker, Joachim; **Ammermann,**
Eberhard; Lorenz, Gisela; **Strathmann,**
Siegfried
 PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany; et al.
 SOURCE: PCT Int. Appl., 20 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9853693	A1	19981203	WO 1998-EP2913	19980518 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
AU 9879132	A1	19981230	AU 1998-79132	19980518 <--
PRIORITY APPLN. INFO.:			DE 1997-19722652	A 19970530 <--
			WO 1998-EP2913	W 19980518 <--
OTHER SOURCE(S):		MARPAT 130:34479		
GI				



AB The title mixts. comprise a carbamate I (X = CH or N; n = 0, 1 or 2; R = H, halo, Cl-4 alkyl or haloalkyl) or the oxime ether carboxamide II and a **fungicidal** copper (II) compound

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 37 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1998:793051 HCAPLUS Full-text
 DOCUMENT NUMBER: 130:34477
 TITLE: Synergistic **fungicidal** mixtures

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Saur, Reinhold; Sauter, Hubert; Muller, Bernd;
Birner, Erich; Leyendecker, Joachim; **Ammermann,**
Eberhard; Lorenz, Gisela; **Strathmann,**
Siegfried

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany; et al.

SOURCE: PCT Int. Appl., 22 pp.
CODEN: PIXXD2


DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9853691	A1	19981203	WO 1998-EP2877	19980515 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
DE 19722225	A1	19981203	DE 1997-19722225	19970528 <--
CA 2289786	AA	19981203	CA 1998-2289786	19980515 <--
AU 9880178	A1	19981230	AU 1998-80178	19980515 <--
EP 984695	A1	20000315	EP 1998-928274	19980515 <--
EP 984695	B1	20020327		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
BR 9809480	A	20000620	BR 1998-9480	19980515 <--
JP 2001526700	T2	20011218	JP 1999-500165	19980515 <--
NZ 500944	A	20020201	NZ 1998-500944	19980515 <--
AT 214876	E	20020415	AT 1998-928274	19980515 <--
TW 410142	B	20001101	TW 1998-87107672	19980518 <--
ZA 9804508	A	19991129	ZA 1998-4508	19980527 <--
MX 9910160	A	20000430	MX 1999-10160	19991105 <--
US 6258801	B1	20010710	US 1999-423462	19991109 <--
PRIORITY APPLN. INFO.:			DE 1997-19722225	A 19970528 <--
			WO 1998-EP2877	W 19980515 <--
OTHER SOURCE(S):			MARPAT 130:34477	
GI				




AB The title mixts. contain a carbamate I (T = CH or N; n = 0, 1 or 2; R = halo, Cl-4 alkyl or halo alkyl) and a phosphonate R2OPH(O)OY [Y = H, group I, II or III metal or NR3R4R5R6; R2 = H, Cl-18 alkyl, haloalkyl, nitroalkyl, (un)substituted C2-8 alkenyl or alkynyl, alkoxyalkyl, alkenylalkyl, (un)substituted aryl, cycloalkyl, alkylaryl or heterocyclyl with 5 or 6 ring atoms and N, O or S heteroatoms, whereby the heterocyclic group is linked to the O directly or via an aliphatic chain; R3-R6 = Cl-4-alkyl or hydroxyalkyl].

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 38 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1998:793050 HCAPLUS Full-text
DOCUMENT NUMBER: 130:34476
TITLE: Synergistic *fungicidal* mixtures
INVENTOR(S): *Schelberger, Klaus; Scherer, Maria*
; Sauter, Hubert; Muller, Bernd; Birner, Erich;
Leyendecker, Joachim; *Ammermann, Eberhard*;
Lorenz, Gisela; *Strathmann, Siegfried*
PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany
SOURCE: PCT Int. Appl., 22 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9853690	A1	19981203	WO 1998-EP2876	19980515 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2289775	AA	19981203	CA 1998-2289775	19980515 <--
AU 9879129	A1	19981230	AU 1998-79129	19980515 <--
EP 984696	A1	20000315	EP 1998-929324	19980515 <--
EP 984696	B1	20021002		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
BR 9809479	A	20000620	BR 1998-9479	19980515 <--
NZ 500945	A	20010629	NZ 1998-500945	19980515 <--
JP 2001526699	T2	20011218	JP 1999-500164	19980515 <--
AT 225127	E	20021015	AT 1998-929324	19980515 <--
TW 464472	B	20011121	TW 1998-87107771	19980520 <--
ZA 9804511	A	20000110	ZA 1998-4511	19980527 <--
MX 9910162	A	20000430	MX 1999-10162	19991105 <--
US 6316480	B1	20011113	US 1999-423972	19991117 <--
PRIORITY APPLN. INFO.:				
			DE 1997-19722224	A 19970528 <--
			WO 1998-EP2876	W 19980515 <--
OTHER SOURCE(S): MARPAT 130:34476				
GI				



AB The title mixts. comprise a carbamate I (T = CH or N; n = 0,1 or 2; R = H, halo, Cl-4 alkyl or haloalkyl) and fludioxonil and/or fenpiclonil.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 39 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1998:793049 HCAPLUS Full-text
DOCUMENT NUMBER: 130:34475
TITLE: Synergistic *fungicidal* mixtures
INVENTOR(S): *Schelberger, Klaus; Scherer, Maria*
; Saur, Reinhold; Sauter, Hubert; Muller, Bernd;
Birner, Erich; Leyendecker, Joachim; *Ammermann,*
Eberhard; Lorenz, Gisela; *Strathmann,*
Siegfried
PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany; et al.
SOURCE: PCT Int. Appl., 26 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9853689	A1	19981203	WO 1998-EP2875	19980515 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
DE 19722223	A1	19981203	DE 1997-19722223	19970528 <--
CA 2289638	AA	19981203	CA 1998-2289638	19980515 <--
AU 9880177	A1	19981230	AU 1998-80177	19980515 <--
AU 748931	B2	20020613		
EP 984694	A1	20000315	EP 1998-928273	19980515 <--
EP 984694	B1	20021211		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
BR 9809473	A	20000725	BR 1998-9473	19980515 <--
JP 2001526698	T2	20011218	JP 1999-500163	19980515 <--
NZ 500946	A	20020201	NZ 1998-500946	19980515 <--
AT 229270	E	20021215	AT 1998-928273	19980515 <--
SK 282899	B6	20030109	SK 1999-1499	19980515 <--
PT 984694	T	20030430	PT 1998-928273	19980515 <--
ES 2189184	T3	20030701	ES 1998-928273	19980515 <--
IL 132715	A1	20040725	IL 1998-132715	19980515 <--
CZ 294975	B6	20050413	CZ 1999-4206	19980515 <--
PL 189750	B1	20050930	PL 1998-337227	19980515 <--
TW 496728	B	20020801	TW 1998-87107676	19980518 <--
ZA 9804510	A	19991129	ZA 1998-4510	19980527 <--
MX 9910159	A	20000430	MX 1999-10159	19991105 <--
US 6444692	B1	20020903	US 1999-423964	19991117 <--
PRIORITY APPLN. INFO.:			DE 1997-19722223	A 19970528 <--
			WO 1998-EP2875	W 19980515 <--
OTHER SOURCE(S):	MARPAT. 130:34475			
GI				

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The title mixts. comprise: (a) a carbamate I (T = CH or N; n = 0, 1 or 2; R = halo, C1-4 alkyl or haloalkyl) the oxime ether carboxylic acid ester II or the oxime ether carboxylic acid amine III and (b) IV [X1-X5 = H, halo, C1-4 alkyl, haloalkyl, alkoxy, haloalkoxy, alkylthio, thioalkoxy, sulfonylalkyl, nitro, amino, carboxylamino or alkyl amino; R1 = (un)substituted C1-4 alkyl, C2-4 alkenyl, C2-4 alkynyl or alkylcycloalkyl; R2 = (un)substituted Ph or 5- to 6-membered saturated or unsatd. heterocyclyl; R3, R4 = H, halo, C1-C4 alkyl, alkoxy, alkylthio, alkylamino, haloalkyl or haloalkoxy; R3R4 = O].

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 40 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1998:793048 HCAPLUS Full-text

DOCUMENT NUMBER: 130:34474

TITLE: Synergistic *fungicidal* mixtures

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Sauter, Hubert; Mueller, Bernd; Birner, Erich;
Leyendecker, Joachim; Hampel, Manfred; **Ammermann,**
Eberhard; Lorenz, Gisela; **Strathmann,**
Siegfried

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany; et al.

SOURCE: PCT Int. Appl., 24 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9853688	A1	19981203	WO 1998-EP2942	19980518 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2290360	AA	19981203	CA 1998-2290360	19980518 <--
AU 9877665	A1	19981230	AU 1998-77665	19980518 <--
AU 744360	B2	20020221		
EP 984688	A1	20000315	EP 1998-925618	19980518 <--
EP 984688	B1	20030723		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
BR 9809536	A	20000620	BR 1998-9536	19980518 <--
NZ 501242	A	20011026	NZ 1998-501242	19980518 <--
JP 2002511069	T2	20020409	JP 1999-500187	19980518 <--
AT 245352	E	20030815	AT 1998-925618	19980518 <--
CN 1122442	B	20031001	CN 1998-805666	19980518 <--
SK 283687	B6	20031202	SK 1999-1606	19980518 <--
PT 984688	T	20031231	PT 1998-925618	19980518 <--
ES 2203966	T3	20040416	ES 1998-925618	19980518 <--
IL 132910	A1	20040512	IL 1998-132910	19980518 <--
PL 189749	B1	20050930	PL 1998-337182	19980518 <--
CZ 296847	B6	20060712	CZ 1999-4289	19980518 <--
TW 568750	B	20040101	TW 1998-87108145	19980526 <--
ZA 9804611	A	19991129	ZA 1998-4611	19980529 <--
MX 9910475	A	20000331	MX 1999-10475	19991115 <--
US 6365613	B1	20020402	US 1999-423973	19991117 <--
PRIORITY APPLN. INFO.:			DE 1997-19722658	A 19970530 <--
			WO 1998-EP2942	W 19980518 <--
OTHER SOURCE(S):			MARPAT 130:34474	

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The title mixts. contain a Ph benzyl ether derivative I, II or III or a carbamate IV (X = CH or N; n = 0, 1 or 2; R = halo, C1-4 alkyl or haloalkyl) or a IV salt or adduct, and a benzimidazole **fungicide** or a precursor thereof.

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 41 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1998:793046 HCAPLUS Full-text

DOCUMENT NUMBER: 130:34472

TITLE: Synergistic **fungicidal** mixtures

INVENTOR(S): **Schelberger, Klaus; Scherer, Maria**
; Saur, Reinhold; Sauter, Hubert; Birner, Erich;
Leyendecker, Joachim; Hampel, Manfred; **Ammermann,**
Eberhard; Lorenz, Gisela; **Strathmann,**
Siegfried

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany; et al.

SOURCE: PCT Int. Appl., 18 pp.

CODEN: PIXXD2


DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9853686	A1	19981203	WO 1998-EP2914	19980518 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2289677	AA	19981203	CA 1998-2289677	19980518 <--
AU 9881046	A1	19981230	AU 1998-81046	19980518 <--
AU 745090	B2	20020314		
EP 984689	A1	20000315	EP 1998-930699	19980518 <--
EP 984689	B1	20021106		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
BR 9809524	A	20000620	BR 1998-9524	19980518 <--
TW 418072	B	20010111	TW 1998-87107677	19980518 <--
NZ 500987	A	20010831	NZ 1998-500987	19980518 <--
JP 2002500656	T2	20020108	JP 1999-500177	19980518 <--
AT 227077	E	20021115	AT 1998-930699	19980518 <--
PT 984689	T	20030331	PT 1998-930699	19980518 <--
ES 2187034	T3	20030516	ES 1998-930699	19980518 <--
SK 283671	B6	20031104	SK 1999-1591	19980518 <--
IL 132716	A1	20040512	IL 1998-132716	19980518 <--
CZ 294384	B6	20041215	CZ 1999-4199	19980518 <--
PL 189555	B1	20050831	PL 1998-337169	19980518 <--
ZA 9804609	A	19991129	ZA 1998-4609	19980529 <--
MX 9910241	A	20000430	MX 1999-10241	19991108 <--
US 6316446	B1	20011113	US 1999-423965	19991117 <--
PRIORITY APPLN. INFO.:			DE 1997-19722656	A 19970530 <--
			WO 1998-EP2914	W 19980518 <--



AB The title mixts., comprise a Ph benzyl ether derivative I, II or III and dimethomorph or flumetover.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 42 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1998:793044 HCAPLUS Full-text
DOCUMENT NUMBER: 130:34470
TITLE: Synergistic *fungicidal* mixtures
INVENTOR(S): *Schelberger, Klaus; Scherer, Maria*
; Sauter, Hubert; Muller, Bernd; Birner, Erich;
Leyendecker, Joachim; *Ammermann, Eberhard*;
Lorenz, Gisela; *Strathmann, Siegfried*; Saur,
Reinhold
PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany; et al.
SOURCE: PCT Int. Appl., 23 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9853684	A1	19981203	WO 1998-EP2822	19980513 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2289773	AA	19981203	CA 1998-2289773	19980513 <--
AU 9877650	A1	19981230	AU 1998-77650	19980513 <--
AU 744635	B2	20020228		
EP 984687	A1	20000315	EP 1998-925596	19980513 <--
EP 984687	B1	20011114		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
BR 9809685	A	20000711	BR 1998-9685	19980513 <--

AT 208562	E	20011115	AT 1998-925596	19980513 <--
JP 2001527576	T2	20011225	JP 1999-500160	19980513 <--
NZ 500941	A	20020301	NZ 1998-500941	19980513 <--
ES 2167902	T3	20020516	ES 1998-925596	19980513 <--
PT 984687	T	20020531	PT 1998-925596	19980513 <--
SK 282822	B6	20021203	SK 1999-1498	19980513 <--
IL 132361	A1	20030312	IL 1998-132361	19980513 <--
CN 1130124	B	20031210	CN 1998-805472	19980513 <--
PL 189385	B1	20050729	PL 1998-337226	19980513 <--
CZ 296330	B6	20060215	CZ 1999-4241	19980513 <--
TW 398957	B	20000721	TW 1998-87107678	19980518 <--
ZA 9804402	A	19991125	ZA 1998-4402	19980525 <--
MX 9909668	A	20000331	MX 1999-9668	19991021 <--
US 6291497	B1	20010918	US 1999-423859	19991117 <--
US 2002042437	A1	20020411	US 2001-871734	20010604 <--
US 6423733	B2	20020723		

PRIORITY APPLN. INFO.:

	DE 1997-19721848	A	19970526 <--
	DE 1997-19721849	A	19970526 <--
	WO 1998-EP2822	W	19980513 <--
	US 1999-423859	A3	19991117 <--

OTHER SOURCE(S): MARPAT 130:34470

GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The title mixts. contain a Ph benzyl ether derivative I, II or III and/or a carbamate IV (X = CH or N; n = 0, 1 or 2; R = halo, C1-4 alkyl or haloalkyl) or a IV salt or adduct, and an N-acetonylbenzamide V (R1, R3 = halo or C1-4 alkyl; R2 = cyano, C1- alkyl, C2-4 alkenyl, alkynyl or C1-4 alkoxy; R4 = H or C1-4 alkyl; R5 = C2-4 alkyl; R6 = thiocyno, isothiocyno or halo) or a V salts or adducts.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT.

L63 ANSWER 43 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1998:776622 HCAPLUS Full-text

DOCUMENT NUMBER: 130:21737

TITLE: Synergistic *fungicidal* mixtures

INVENTOR(S): *Schelberger, Klaus; Scherer, Maria*
 ; Sauter, Hubert; Muller, Bernd; Birner, Erich;
 Leyendecker, Joachim; *Ammermann, Eberhard*;
 Lorenz, Gisela; *Strathmann, Siegfried*; Saur,
 Reinhold

PATENT ASSIGNEE(S): Basf A.-G., Germany; et al.

SOURCE: PCT Int. Appl., 17 pp.
 CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9852417	A1	19981126	WO 1998-EP2820	19980513 <--
W: AL, AU, BG, BR, BY, CA, CN, CZ, GE, HU, ID, IL, JP, KR, KZ, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, KG, MD, TJ, TM				

RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL,
PT, SE

CA 2289787	AA	19981126	CA 1998-2289787	19980513 <--
AU 9880170	A1	19981211	AU 1998-80170	19980513 <--
AU 739192	B2	20011004		
EP 982994	A1	20000308	EP 1998-928258	19980513 <--
EP 982994	B1	20021204		

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
BR 9809855	A	20000627	BR 1998-9855	19980513 <--
JP 2001525837	T2	20011211	JP 1998-549904	19980513 <--
NZ 500996	A	20020328	NZ 1998-500996	19980513 <--
AT 228763	E	20021215	AT 1998-928258	19980513 <--
PT 982994	T	20030430	PT 1998-928258	19980513 <--
SK 283379	B6	20030603	SK 1999-1496	19980513 <--
ES 2189183	T3	20030701	ES 1998-928258	19980513 <--
IL 132600	A1	20040620	IL 1998-132600	19980513 <--
PL 189553	B1	20050831	PL 1998-337070	19980513 <--
ZA 9804295	A	19991122	ZA 1998-4295	19980521 <--
TW 407045	B	20001001	TW 1998-87107874	19980521 <--
MX 9910242	A	20000430	MX 1999-10242	19991108 <--
US 6528536	B1	20030304	US 1999-423882	19991115 <--
US 2002099083	A1	20020725	US 2002-35050	20020103 <--
US 6489360	B2	20021203		

PRIORITY APPLN. INFO.:

DE 1997-19721401	A	19970522 <--
DE 1997-19721402	A	19970522 <--
WO 1998-EP2820	W	19980513 <--
US 1999-423882	A3	19991115 <--

OTHER SOURCE(S): MARPAT 130:21737
GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The title mixts. comprise a Ph benzyl ether derivative I, II or III and/or a carbamate IV (X = CH or N; n = 0, 1 or 2; R = halo, C1-4 alkyl or haloalkyl) or its salts or adducts, and a dinitrophenol derivative V or VI (n = 0, 1 or 2).

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 44 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1998:161097 HCAPLUS Full-text

DOCUMENT NUMBER: 128:214435

TITLE: Synergistic **fungicidal** mixtures

INVENTOR(S): Muealler, Ruth; Bayer, Herbert; Sauter, Hubert;
Eicken, Karl; Wetterich, Frank; **Ammermann,**
Eberhard; Lorenz, Gisela; **Strathmann,**
Siegfried; **Scherer, Maria;**
Schelberger, Klaus; Muller, Bernd;
Leyendecker, Joachim

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 35 pp.

CODEN: PIXXD2


DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9808386	A1	19980305	WO 1997-EP4679	19970827 <--
W: AU, BR, CA, CN, HU, IL, JP, KR, MX, NZ, PL, US				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
DE 19634771	A1	19980305	DE 1996-19634771	19960828 <--
TW 438575	B	20010607	TW 1997-86112269	19970826 <--
CA 2264533	AA	19980305	CA 1997-2264533	19970827 <--
AU 9746188	A1	19980319	AU 1997-46188	19970827 <--
AU 716351	B2	20000224		
ZA 9707685	A	19990301	ZA 1997-7685	19970827 <--
EP 923291	A1	19990623	EP 1997-944801	19970827 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, FI				
BR 9711266	A	19990817	BR 1997-11266	19970827 <--
CN 1228676	A	19990915	CN 1997-197535	19970827 <--
NZ 334367	A	20001124	NZ 1997-334367	19970827 <--
JP 2000516944	T2	20001219	JP 1998-511288	19970827 <--
US 6156778	A	20001205	US 1999-242729	19990222 <--
KR 2000035947	A	20000626	KR 1999-701688	19990227 <--
PRIORITY APPLN. INFO.:			DE 1996-19634771	A 19960828 <--
			DE 1996-19636752	A 19960910 <--
			WO 1997-EP4679	W 19970827 <--
OTHER SOURCE(S):			MARPAT 128:214435	
GI				



AB The title mixts. comprise an oxime ether I [M1 = Q or N:CMc(ZR5):NOMe; X = N or CH; R3, R4 = H or (halo)alkyl; Z = O, S, NH, N-alkyl; R5 = (halo)alkyl, (halo)alkenyl, (halo)alkynyl, cycloalkylmethyl or (un)substituted benzyl; M2 = MeOCON(OMe) or MeXCOC:YOMe; X = O or NH; Y = CH or N] and a valine amide R1OCONHCH(CHMe2)CONHCHMeR2 (R1 = alkyl; R2 = naphthyl, Ph, 4-halophenyl, alkyl or alkoxy).

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 45 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1998:161096 HCAPLUS Full-text

DOCUMENT NUMBER: 128:201922

TITLE: Synergistic **fungicidal** mixtures

INVENTOR(S): Muller, Bernd; Sauter, Hubert; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**; Scherer, Maria; **Schelberger, Klaus**; Leyendecker, Joachim

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 322 pp.

CODEN: PIXXD2



DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9808385	A1	19980305	WO 1997-EP4541	19970821 <--
W: AL, AU, BG, BR, CA, CN, CZ, GE, HU, IL, JP, KR, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2264528	AA	19980305	CA 1997-2264528	19970821 <--
AU 9742060	A1	19980319	AU 1997-42060	19970821 <--
AU 736626	B2	20010802		
EP 923289	A1	19990623	EP 1997-940101	19970821 <--
EP 923289	B1	20020403		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
BR 9711244	A	19990817	BR 1997-11244	19970821 <--
CN 1228677	A	19990915	CN 1997-197536	19970821 <--
CN 1145418	B	20040414		
NZ 334349	A	20001124	NZ 1997-334349	19970821 <--
JP 2000516943	T2	20001219	JP 1998-511249	19970821 <--
IL 128121	A1	20011223	IL 1997-128121	19970821 <--
AT 215310	E	20020415	AT 1997-940101	19970821 <--
PT 923289	T	20020930	PT 1997-940101	19970821 <--
ES 2175457	T3	20021116	ES 1997-940101	19970821 <--
SK 283401	B6	20030701	SK 1999-228	19970821 <--
CZ 293179	B6	20040218	CZ 1999-485	19970821 <--
PL 187352	B1	20040630	PL 1997-331891	19970821 <--
ZA 9707785	A	19990301	ZA 1997-7785	19970829 <--
US 6159992	A	20001212	US 1999-242715	19990222 <--
KR 2000035963	A	20000626	KR 1999-701741	19990302 <--
PRIORITY APPLN. INFO.:			DE 1996-19635079	A 19960830 <--
OTHER SOURCE(S):	MARPAT 128:201922		WO 1997-EP4541	W 19970821 <--
GI				




AB The invention concerns a **fungicidal** mixture which contains in a synergistically effective amount of a carbamate I (X = CH or N; n = 0, 1 or 2;

R = halo, C1-4 (halo)alkyl) or its salts or adducts and an anilide II (R1 = F or Cl) or its salts or adducts.
 REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 46 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1998:161095 HCAPLUS Full-text
 DOCUMENT NUMBER: 128:201921
 TITLE: Synergistic *fungicidal* mixtures
 INVENTOR(S): Muller, Bernd; Sauter, Hubert; *Ammermann, Eberhard*; Lorenz, Gisela; *Strathmann, Siegfried*; *Scherer, Maria*; *Schelberger, Klaus*; Leyendecker, Joachim
 PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany
 SOURCE: PCT Int. Appl., 22 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9808384	A1	19980305	WO 1997-EP4540	19970821 <--
W: AL, AU, BG, BR, CA, CN, CZ, GE, HU, IL, JP, KR, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, TJ, TM				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2264694	AA	19980305	CA 1997-2264694	19970821 <--
AU 9746176	A1	19980319	AU 1997-46176	19970821 <--
AU 736770	B2	20010802		
EP 923290	A1	19990623	EP 1997-944773	19970821 <--
EP 923290	B1	20060412		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
BR 9711281	A	19990817	BR 1997-11281	19970821 <--
CN 1231577	A	19991013	CN 1997-198277	19970821 <--
JP 2000516942	T2	20001219	JP 1998-511248	19970821 <--
NZ 334703	A	20010223	NZ 1997-334703	19970821 <--
IL 128674	A1	20020210	IL 1997-128674	19970821 <--
RU 2181005	C2	20020410	RU 1999-106542	19970821 <--
AT 322825	E	20060415	AT 1997-944773	19970821 <--
PT 923290	T	20060731	PT 1997-944773	19970821 <--
ZA 9707786	A	19990301	ZA 1997-7786	19970829 <--
US 6136840	A	20001024	US 1999-242671	19990222 <--
KR 2000035946	A	20000626	KR 1999-701687	19990227 <--
PRIORITY APPLN. INFO.:			DE 1996-19635080	A 19960830 <--
			WO 1997-EP4540	W 19970821 <--
OTHER SOURCE(S):		MARPAT 128:201921		
GI				



AB The invention concerns a **fungicidal** mixture which contains in a synergistically effective amount of a carbamate I [X = CH or N; n = 0, 1 or 2; R = halo, Cl-4 (halo)alkyl] or its salts or adducts and chlorothalonil.



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 47 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1998:65774 HCAPLUS Full-text
DOCUMENT NUMBER: 128:137547
TITLE: Synergistic **fungicidal** mixtures
INVENTOR(S): Muller, Bernd; Sauter, Hubert; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**; **Schelberger, Klaus**; **Scherer, Maria**; Hampel, Manfred; Saur, Reinhold; Leyendecker, Joachim
PATENT ASSIGNEE(S): BASF A.-G., Germany
SOURCE: PCT Int. Appl., 19 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9801033	A1	19980115	WO 1997-EP3378	19970627 <--
W: AL, AU, BG, BR, CA, CN, CZ, GE, HU, IL, JP, KR, LT, LV, MX, NO, NZ, PL, RO, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2259440	AA	19980115	CA 1997-2259440	19970627 <--
AU 9734384	A1	19980202	AU 1997-34384	19970627 <--
AU 735886	B2	20010719		
EP 912088	A1	19990506	EP 1997-930429	19970627 <--
EP 912088	B1	20020911		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
BR 9710149	A	19990810	BR 1997-10149	19970627 <--
NZ 333400	A	20000428	NZ 1997-333400	19970627 <--
JP 2000514070	T2	20001024	JP 1998-504715	19970627 <--
AT 223648	E	20020915	AT 1997-930429	19970627 <--
PT 912088	T	20030131	PT 1997-930429	19970627 <--
ES 2183195	T3	20030316	ES 1997-930429	19970627 <--
IL 127651	A1	20030731	IL 1997-127651	19970627 <--
SK 283668	B6	20031104	SK 1999-1	19970627 <--
CZ 294297	B6	20041110	CZ 1999-51	19970627 <--
PL 188656	B1	20050331	PL 1997-330996	19970627 <--
TW 478923	B	20020311	TW 1997-86109443	19970704 <--
ZA 9706100	A	19990111	ZA 1997-6100	19970709 <--
US 6166058	A	20001226	US 1999-214507	19990107 <--
KR 2000023687	A	20000425	KR 1999-700144	19990109 <--
PRIORITY APPLN. INFO.:			DE 1996-19627696	A 19960710 <--
			DE 1996-19635081	A 19960830 <--
			WO 1997-EP3378	W 19970627 <--

OTHER SOURCE(S): MARPAT 128:137547
GI



AB The invention concerns a synergistic **fungicidal** mixts. which contain the oxime ether carboxylic acid ester I, or its salts or addition compds. and/or a carbamate II (X = CH or N; n = 0, 1 or 2; R = halo, alkyl or alkyl halide) or its salts or addition products, and/or iminocytidine or its salts or addition products.

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L63 ANSWER 48 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1997:752810 HCAPLUS Full-text

DOCUMENT NUMBER: 128:19712

TITLE: Synergistic **fungicidal** mixtures

INVENTOR(S): Mueller, Bernd; Sauter, Hubert; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**; **Scherer, Maria**; **Schelberger, Klaus**; Leyendecker, Joachim

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 22 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9742821	A1	19971120	WO 1997-EP2128	19970425 <--
W: AU, BG, BR, CA, CN, CZ, GE, HU, IL, JP, KR, LV, MX, NO, NZ, PL, RO, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2253907	AA	19971120	CA 1997-2253907	19970425 <--
AU 9727715	A1	19971205	AU 1997-27715	19970425 <--
AU 732906	B2	20010503		
CN 1210444	A	19990310	CN 1997-192041	19970425 <--
EP 901322	A1	19990317	EP 1997-921764	19970425 <--
EP 901322	B1	20010829		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI				
BR 9709053	A	19990803	BR 1997-9053	19970425 <--
NZ 330641	A	20000623	NZ 1997-330641	19970425 <--

JP 2000510128	T2	20000808	JP 1997-540430	19970425 <--
JP 3821487	B2	20060913		
AT 204708	E	20010915	AT 1997-921764	19970425 <--
ES 2163765	T3	20020201	ES 1997-921764	19970425 <--
PT 901322	T	20020228	PT 1997-921764	19970425 <--
TW 411254	B	20001111	TW 1997-86106017	19970506 <--
ZA 9703954	A	19981109	ZA 1997-3954	19970508 <--
US 6172063	B1	20010109	US 1998-180295	19981105 <--
KR 2000010830	A	20000225	KR 1998-708971	19981106 <--
GR 3036605	T3	20011231	GR 2001-401466	20010912 <--
PRIORITY APPLN. INFO.:			DE 1996-19618680	A 19960509 <--
			WO 1997-EP2128	W 19970425 <--
OTHER SOURCE(S):	MARPAT 128:19712			
GI				



AB A **fungicidal** mixture contains in a synergetically effective quantity a carbamate I [X = CH or N; n = 0, 1 or 2; R = halo or (halo)alkyl] and dimethomorph or flumetover.

L63 ANSWER 49 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1997:740081 HCAPLUS Full-text

DOCUMENT NUMBER: 127:356185

TITLE: Synergistic **fungicidal** mixtures

INVENTOR(S): Muller, Bernd; Sauter, Hubert; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**; **Schelberger, Klaus**; **Scherer, Maria**; Mappes, Dietrich; Leyendecker, Joachim; Bayer, Herbert; Muller, Ruth

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 17 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent



LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9740687	A1	19971106	WO 1997-EP2043	19970423 <--
W: AU, BG, BR, CA, CN, CZ, GE, HU, IL, JP, KR, LV, MX, NO, NZ, PL, RO, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2252503	AA	19971106	CA 1997-2252503	19970423 <--
AU 9727680	A1	19971119	AU 1997-27680	19970423 <--
AU 732284	B2	20010412		
ZA 9703473	A	19981023	ZA 1997-3473	19970423 <--

EP 900020	A1	19990310	EP 1997-921702	19970423 <--
EP 900020	B1	20020626		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI				
CN 1216898	A	19990519	CN 1997-194128	19970423 <--
BR 9708806	A	19990803	BR 1997-8806	19970423 <--
NZ 332161	A	20000327	NZ 1997-332161	19970423 <--
JP 2000509058	T2	20000718	JP 1997-538546	19970423 <--
AT 219624	E	20020715	AT 1997-921702	19970423 <--
TW 419352	B	20010121	TW 1997-86105440	19970425 <--
US 6133298	A	20001017	US 1998-171618	19981022 <--
PRIORITY APPLN. INFO.:			DE 1996-19616691	A 19960426 <--
			DE 1996-19617071	A 19960429 <--
			DE 1996-19635516	A 19960902 <--
			WO 1997-EP2043	W 19970423 <--
OTHER SOURCE(S):			MARPAT 127:356185	
GI				




AB **Fungicidal** mixture containing in a synergistically active quantity a carbamate I [T = CH or N; n = 0, 1 or 2; R = halo or (halo)alkyl] and/or an oxime ether II [X = O or NH; Y = CH or N; Z = O, S, NH or alkylamino; R1 = (halo)alkyl, (halo)alkenyl, (halo)alkynyl, cycloalkylmethyl, benzyl, etc.] and fluazinam, are given (no data).

L63 ANSWER 50 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1997:740080 HCAPLUS Full-text
 DOCUMENT NUMBER: 128:11111
 TITLE: Synergistic **fungicide** mixtures
 INVENTOR(S): Mueller, Bernd; Sauter, Hubert; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**; **Scherer, Maria**; **Schelberger, Klaus**; Leyendecker, Joachim
 PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany
 SOURCE: PCT Int. Appl., 20 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9740686	A1	19971106	WO 1997-EP2041	19970423 <--
W: AU, BG, BR, CA, CN, CZ, GE, HU, IL, JP, KR, LV, MX, NO, NZ, PL, RO, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2252511	AA	19971106	CA 1997-2252511	19970423 <--
AU 9727678	A1	19971119	AU 1997-27678	19970423 <--
AU 732285	B2	20010412		
EP 900019	A1	19990310	EP 1997-921700	19970423 <--
EP 900019	B1	20010829		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
CN 1216897	A	19990519	CN 1997-194127	19970423 <--
BR 9708807	A	19990803	BR 1997-8807	19970423 <--
NZ 332210	A	20000228	NZ 1997-332210	19970423 <--
JP 2000509057	T2	20000718	JP 1997-538544	19970423 <--
JP 3821486	B2	20060913		
AT 204707	E	20010915	AT 1997-921700	19970423 <--
ES 2163761	T3	20020201	ES 1997-921700	19970423 <--
PT 900019	T	20020228	PT 1997-921700	19970423 <--
TW 411253	B	20001111	TW 1997-86105364	19970424 <--
ZA 9703618	A	19990412	ZA 1997-3618	19970425 <--
US 6172094	B1	20010109	US 1998-171649	19981022 <--
US 6239158	B1	20010529	US 2000-702100	20001031 <--
GR 3036603	T3	20011231	GR 2001-401464	20010912 <--
PRIORITY APPLN. INFO.:				
			DE 1996-19616716	A 19960426 <--
			DE 1996-19617231	A 19960430 <--
			DE 1996-19617234	A 19960430 <--
			WO 1997-EP2041	W 19970423 <--
			US 1998-171649	A3 19981022 <--

OTHER SOURCE(S): MARPAT 128:11111
GI



AB This invention concerns **fungicide** mixts. containing in a synergistically effective amount of a carbamate I [X = CH or N; n = 0, 1 or 2; R = halo or (halo)alkyl] and a dithiocarbamate selected from maneb, mancozeb, metiram and zineb, and/or cymoxanil.

L63 ANSWER 51 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1997:740079 HCAPLUS Full-text

DOCUMENT NUMBER: 128:11110

TITLE: Synergistic **fungicide** mixtures

INVENTOR(S): Mueller, Ruth; Bayer, Herbert; Sauter, Hubert;




Ammermann, Eberhard; Lorenz, Gisela;

Strathmann, Siegfried; Schelberger,

Klaus; Scherer, Maria; Leyendecker,
 Joachim; Mueller, Bernd
 PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany
 SOURCE: PCT Int. Appl., 26 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9740685	A1	19971106	WO 1997-EP2023	19970422 <--
W: AU, BG, BR, CA, CN, CZ, GE, HU, IL, JP, KR, LV, MX, NO, NZ, PL, RO, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2252630	AA	19971106	CA 1997-2252630	19970422 <--
AU 9727670	A1	19971119	AU 1997-27670	19970422 <--
AU 732264	B2	20010412		
EP 906017	A1	19990407	EP 1997-921689	19970422 <--
EP 906017	B1	20020102		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI				
CN 1216442	A	19990512	CN 1997-194012	19970422 <--
BR 9708875	A	19990803	BR 1997-8875	19970422 <--
NZ 331768	A	20000228	NZ 1997-331768	19970422 <--
JP 2000509056	T2	20000718	JP 1997-538539	19970422 <--
IL 126081	A1	20011223	IL 1997-126081	19970422 <--
AT 211360	E	20020115	AT 1997-921689	19970422 <--
ES 2170950	T3	20020816	ES 1997-921689	19970422 <--
ZA 9703619	A	19990412	ZA 1997-3619	19970425 <--
US 6156760	A	20001205	US 1998-155110	19980921 <--
PRIORITY APPLN. INFO.:			DE 1996-19616720	A 19960426 <--
			DE 1996-19617070	A 19960429 <--
			DE 1996-19635506	A 19960902 <--
			WO 1997-EP2023	W 19970422 <--

OTHER SOURCE(S): MARPAT 128:11110
 GI



AB This invention concerns **fungicide** mixts. containing in a synergistically effective amount an oxime ether I [X = O or NH; Y = CH or N; Z = O, S, NH or alkyl amino; R1 = (halo)alkyl, (halo)alkenyl, (halo)alkynyl, cycloalkylmethyl, benzyl, etc.] and/or a carbamate II [T = CH or N; n = 0, 1 or 2; R = (halo)alkyl] and a pyrimidine derivative III [R = Me, propin-1-yl or cyclopropyl].

L63 ANSWER 52 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1997:740072 HCAPLUS Full-text

DOCUMENT NUMBER: 128:11109

TITLE: Synergistic **fungicide** mixtures

INVENTOR(S): Mueller, Bernd; Sauter, Hubert; **Ammermann, Eberhard**; Lorenz, Gisela; **Strathmann, Siegfried**; **Schelberger, Klaus**; **Scherer, Maria**; Mappes, Dietrich; Leyendecker, Joachim; Bayer, Herbert; Mueller, Ruth

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 22 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German



FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9740678	A1	19971106	WO 1997-EP2048	19970423 <--
W: AU, BG, BR, CA, CN, CZ, GE, HU, IL, JP, KR, LV, MX, NO, NZ, PL, RO, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2252641	AA	19971106	CA 1997-2252641	19970423 <--
AU 9727009	A1	19971119	AU 1997-27009	19970423 <--
AU 722194	B2	20000727		
ZA 9703474	A	19981023	ZA 1997-3474	19970423 <--
EP 900011	A1	19990310	EP 1997-920739	19970423 <--
EP 900011	B1	20020403		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
CN 1216440	A	19990512	CN 1997-194053	19970423 <--
BR 9708805	A	19990803	BR 1997-8805	19970423 <--
NZ 332077	A	20000228	NZ 1997-332077	19970423 <--
JP 2000509062	T2	20000718	JP 1997-538551	19970423 <--
CZ 289349	B6	20020116	CZ 1998-3378	19970423 <--
AT 215309	E	20020415	AT 1997-920739	19970423 <--
US 6028093	A	20000222	US 1998-171563	19981021 <--
PRIORITY APPLN. INFO.:			DE 1996-19616689	A 19960426 <--
			DE 1996-19617069	A 19960429 <--
			DE 1996-19635505	A 19960902 <--
			WO 1997-EP2048	W 19970423 <--

OTHER SOURCE(S): MARPAT 128:11109

GI



AB This invention concerns a **fungicide** mixture containing in synergistically effective quantities a carbamate I [T = CH or N; n = 0, 1 or 2; R = halo or (halo)alkyl] and/or an oxime ether II [X = O or NH; Y = CH or N; Z = O, S, NH or alkylamino; R1 = (halo)alkyl, (halo)alkenyl, (halo)alkynyl cycloalkylmethyl, benzyl, etc.] and propamocarb.

L63 ANSWER 53 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1997:740071 HCAPLUS Full-text

DOCUMENT NUMBER: 127:356181

TITLE: Synergistic **fungicide** mixtures

INVENTOR(S): Muller, Ruth; Bayer, Herbert; Sauter, Hubert;
Ammernann, Eberhard; Lorenz, Gisela;
Strathmann, Siegfried; Schelberger,
Klaus; Scherer, Maria

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 25 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9740677	A1	19971106	WO 1997-EP2046	19970423 <--
W: AU, BG, BR, CA, CN, CZ, GE, HU, IL, JP, KR, LV, MX, NO, NZ, PL, RO, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
AU 9727682	A1	19971119	AU 1997-27682	19970423 <--
EP 900014	A1	19990310	EP 1997-921704	19970423 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE				
JP 2000509060	T2	20000718	JP 1997-538549	19970423 <--
TW 423958	B	20010301	TW 1997-86105284	19970423 <--
ZA 9703533	A	19981026	ZA 1997-3533	19970424 <--
US 6114378	A	20000905	US 1998-171522	19981021 <--
PRIORITY APPLN. INFO.:			DE 1996-19616683	A 19960426 <--
			DE 1996-19616685	A 19960426 <--
			DE 1996-19617072	A 19960429 <--
			DE 1996-19635509	A 19960902 <--
			DE 1996-19635514	A 19960902 <--
			DE 1996-19635517	A 19960902 <--

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9740676	A1	19971106	WO 1997-EP2044	19970423 <--
W: AU, BG, BR, CA, CN, CZ, GE, HU, IL, JP, KR, LV, MX, NO, NZ, PL, RO, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2252684	AA	19971106	CA 1997-2252684	19970423 <--
AU 9727681	A1	19971119	AU 1997-27681	19970423 <--
AU 732261	B2	20010412		
ZA 9703475	A	19981023	ZA 1997-3475	19970423 <--
EP 900013	A1	19990310	EP 1997-921703	19970423 <--
EP 900013	B1	20010829		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI				
CN 1216439	A	19990512	CN 1997-194052	19970423 <--
BR 9708871	A	19990803	BR 1997-8871	19970423 <--
NZ 332078	A	20000526	NZ 1997-332078	19970423 <--
JP 2000509059	T2	20000718	JP 1997-538547	19970423 <--
IL 126234	A1	20010128	IL 1997-126234	19970423 <--
AT 204706	E	20010915	AT 1997-921703	19970423 <--
ES 2163762	T3	20020201	ES 1997-921703	19970423 <--
PT 900013	T	20020228	PT 1997-921703	19970423 <--

TW 422682	B	20010221	TW 1997-86105486	19970426 <--
US 6083946	A	20000704	US 1998-171601	19981022 <--
GR 3036604	T3	20011231	GR 2001-401465	20010912 <--
PRIORITY APPLN. INFO.:			DE 1996-19616681	A 19960426 <--
			DE 1996-19616688	A 19960426 <--
			DE 1996-19635504	A 19960902 <--
			WO 1997-EP2044	W 19970423 <--
OTHER SOURCE(S):			MARPAT 127:356180	
GI				





AB This invention concerns a **fungicide** mixture containing, in synergistically effective quantities, a carbamate I [T = CH or N; n = 0, 1 or 2; R = halo or (halo)alkyl] and/or an oxime ether II [X = O or NH; Y = CH or N; Z is O, S, NH or alkyl amino; R1 = (halo)alkyl, (halo)alkenyl, (halo)alkynyl, cycloalkylmethyl, benzyl, etc.] and an acaricide, i.e. fenazaquin, tebufenpyrad, pyridaben or fenprothionate.

L63 ANSWER 55 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1997:740066 HCAPLUS Full-text
 DOCUMENT NUMBER: 127:356178
 TITLE: Synergistic **fungicidal** mixtures
 INVENTOR(S): Mueller, Ruth; Bayer, Herbert; Sauter, Hubert;
Ammermann, Eberhard; Lorenz, Gisela;
Strathmann, Siegfried; **Schelberger, Klaus**;
Scherer, Maria; Leyendecker, Joachim; Mueller, Bernd
 PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany
 SOURCE: PCT Int. Appl., 27 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9740672	A1	19971106	WO 1997-EP1668	19970403 <--
W: AU, BG, BR, CA, CN, CZ, GE, HU, IL, JP, KR, LV, MX, NO, NZ, PL, RO, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2252534	AA	19971106	CA 1997-2252534	19970403 <--

AU 9725081	A1	19971119	AU 1997-25081	19970403 <--
AU 732286	B2	20010412		
EP 900008	A1	19990310	EP 1997-916430	19970403 <--
EP 900008	B1	20020703		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, SI, FI				
CN 1216441	A	19990512	CN 1997-194055	19970403 <--
BR 9708831	A	19990803	BR 1997-8831	19970403 <--
NZ 332099	A	20000327	NZ 1997-332099	19970403 <--
JP 2000509048	T2	20000718	JP 1997-538488	19970403 <--
JP 3810093	B2	20060816		
IL 126233	A1	20001206	IL 1997-126233	19970403 <--
AT 219882	E	20020715	AT 1997-916430	19970403 <--
ZA 9703534	A	19981026	ZA 1997-3534	19970424 <--
MX 9808774	A	20000531	MX 1998-8774	19981022 <--
US 6083970	A	20000704	US 1998-171602	19981022 <--
PRIORITY APPLN. INFO.:			DE 1996-19616684	A 19960426 <--
			DE 1996-19617233	A 19960430 <--
			DE 1996-19635518	A 19960902 <--
			WO 1997-EP1668	W 19970403 <--
OTHER SOURCE(S):			MARPAT 127:356178	
GI				




AB **Fungicidal** mixts. contain in a synergetically effective amount an oxime ether I [X = O or NH; Y = CH or N; Z = O, S, NH or alkylamino; R1 = (halo)alkyl, (halo)alkenyl, (halo)alkynyl, cycloalkylmethyl, benzyl, etc.;] carbamates II [T = CH or N, n is 0, 1 or 2; and R = halo or (halo)alkyl] and Captan or Folpet.

L63 ANSWER 56 OF 56 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 1997:366399 HCAPLUS Full-text
 DOCUMENT NUMBER: 126:340043
 TITLE: Synergistic **fungicidal** mixtures of oxime ether carboxylic acid esters with copper-containing **fungicides**
 INVENTOR(S): Hampel, Manfred; **Schelberger, Klaus**; Lorenz, Gisela; **Ammermann, Eberhard**; **Strathmann, Siegfried**; Sauter, Hubert; **Scherer, Maria**; Saur, Reinhold
 PATENT ASSIGNEE(S): BASF A.-G., Germany


SOURCE: PCT Int. Appl., 14 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9715189	A1	19970501	WO 1996-EP4445	19961011 <--
W: AU, BG, BR, CA, CN, CZ, GE, HU, IL, JP, KR, LV, MX, NO, NZ, PL, RO, SG, SI, SK, TR, UA, US, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
AU 9672914	A1	19970515	AU 1996-72914	19961011 <--
PRIORITY APPLN. INFO.:			DE 1995-19539636	A 19951025 <--
			WO 1996-EP4445	W 19961011 <--

GI



I




II

AB Described are synergistic **fungicidal** mixts. containing an oxime ether carboxylic acid ester I or II and a Cu **fungicide**, such as Cu hydroxide.

=> d que 169


L1 STR



Structure attributes must be viewed using STN Express query preparation.

L2


STR



Structure attributes must be viewed using STN Express query preparation.

L3


STR



Structure attributes must be viewed using STN Express query preparation.

L4

STR



Structure attributes must be viewed using STN Express query preparation.

L8 135586 SEA FILE=HCAPLUS ABB=ON PLU=ON FUNGICIDES+OLD,PFT,NT,RT/CT
L9 221696 SEA FILE=HCAPLUS ABB=ON PLU=ON (FUNG?)/OBI,BI
L14 32 SEA FILE=REGISTRY SSS FUL L1
L15 315 SEA FILE=REGISTRY SSS FUL L2
L16 227 SEA FILE=REGISTRY SSS FUL L3
L17 129 SEA FILE=REGISTRY SSS FUL L4
L18 1 SEA FILE=REGISTRY ABB=ON PLU=ON L14 AND L15 AND L16 AND L17
L19 1 SEA FILE=HCAPLUS ABB=ON PLU=ON L18
L20 19 SEA FILE=REGISTRY ABB=ON PLU=ON (L14 AND (L15 OR L16 OR
L17)) OR (L15 AND (L16 OR L17)) OR (L16 AND L17)
L21 15 SEA FILE=HCAPLUS ABB=ON PLU=ON L20
L22 16 SEA FILE=HCAPLUS ABB=ON PLU=ON L14
L23 71 SEA FILE=HCAPLUS ABB=ON PLU=ON L15
L24 450 SEA FILE=HCAPLUS ABB=ON PLU=ON L16
L25 182 SEA FILE=HCAPLUS ABB=ON PLU=ON L17
L26 66 SEA FILE=HCAPLUS ABB=ON PLU=ON (L22 AND (L23 OR L24 OR L25))
OR (L23 AND (L24 OR L25)) OR (L24 AND L25)
L27 5 SEA FILE=HCAPLUS ABB=ON PLU=ON L22 AND L23 AND L24
L28 5 SEA FILE=HCAPLUS ABB=ON PLU=ON L22 AND L23 AND L24 AND L25
L29 66 SEA FILE=HCAPLUS ABB=ON PLU=ON (L19 OR L20 OR L21 OR L26 OR
L27 OR L28)
L64 61 SEA FILE=HCAPLUS ABB=ON PLU=ON L29 AND (L8 OR L9)
L65 66 SEA FILE=HCAPLUS ABB=ON PLU=ON (L29 OR L64)
L66 29 SEA FILE=HCAPLUS ABB=ON PLU=ON L65 AND (PY<2003 OR AY<2003
OR PRY<2003)
L68 32 SEA FILE=HCAPLUS ABB=ON PLU=ON (L66 OR L27 OR L28)
L69 35 SEA FILE=HCAPLUS ABB=ON PLU=ON (L21 OR L68)

=> d ibib abs hitind hitstr l69 tot

L69 ANSWER 1 OF 35 HCAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2006:977525 HCAPLUS Full-text
DOCUMENT NUMBER: 145:308584
TITLE: Use of imidazole and/or triazole derivatives as
pesticides for plants
INVENTOR(S): Martins Dos Santos, Jose Geraldo
PATENT ASSIGNEE(S): Fmc Quimica Do Brasil Ltda., Brazil
SOURCE: PCT Int. Appl., 55pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006096949	A2	20060921	WO 2006-BR47	20060316
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,				

IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
 CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
 GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
 KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.:

BR 2005-1146

A 20050316

AB Imidazole and/or triazole derivs. are agricultural fungicides, insecticides, herbicides and nematocides useful in the treatment of seeds, leaves and/or soil. Specific examples are ketoconazole, fluconazole, itraconazole, ravuconazole, voriconazole and posaconazole.

CC 5-4 (Agrochemical Bioregulators)

IT 76674-21-0, Impact 107534-96-3, Elite 112281-77-3, Domark 146522-63-6, Elite-Derosal mixture **198697-58-4**, Opera 332348-00-2, Domark-Derosal mixture 909403-99-2, PrioriXtra
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)
 (pest control by imidazole and/or triazole derivs.)

IT **198697-58-4**, Opera
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)
 (pest control by imidazole and/or triazole derivs.)


RN 198697-58-4 HCAPLUS

CN Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester, mixt. with
 rel-1-[[(2R,3S)-3-(2-chlorophenyl)-2-(4-fluorophenyl)oxiranyl]methyl]-1H-1,2,4-triazole (9CI) (CA INDEX NAME)

CM 1

CRN 175013-18-0

CMF C19 H18 Cl N3 O4




CM 2

CRN 133855-98-8

CMF C17 H13 Cl F N3 O

Relative stereochemistry.



L69 ANSWER 2 OF 35 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2006:766684 HCAPLUS Full-text

DOCUMENT NUMBER: 145:308495

TITLE: Growth analysis of two barley cultivars after elicitor and fungicide treatments

AUTHOR(S): Antoniazzi, Noemir; Deschamps, Cicero

CORPORATE SOURCE: Universidade Federal do Parana (UFPR), Curitiba, 88035-050, Brazil

SOURCE: Ciencia Rural (2006), 36(4), 1065-1071

CODEN: CIRUEP; ISSN: 0103-8478

PUBLISHER: Universidade Federal de Santa Maria, Centro de Ciencias Rurais

DOCUMENT TYPE: Journal

LANGUAGE: Portuguese

AB To control barley boun spot. caused by *Bipolaris sorokiniana*, fungicides and more recently elicitors have been used. The objective of this work was to evaluate the development of 2 barley cultivars (BRS 195 and 225) in response to treatment with 2 elicitors xanthan gum and alicin and the fungicide epoxiconazole + pyraclostrobin compared with non treated control plants. The experiment was carried out at Fundacao Agraria de Pesquisa Agropecuaria (FAPA), Guarapuava - PR, in a randomized complete block design. In the growth anal., they were performed calculating the leaf area index (LAI), relative growth rate (RGR), and net assimilation rate (NAR). A similar development was observed for both cultivars in all treatments. The cultivar BRS 225 showed higher dry weight accumulation during the evaluation period than cultivar BRS 195 because of its shorter vegetative growth phase. The LAI increased until the boot stage following decrease. The RGR decreased from the 1st to the last evaluation. The NAR decreased until 57 days after emergency and then increased during all remaining evaluations.

CC 5-2 (Agrochemical Bioregulators)

IT 539-86-6, Allicin 11138-66-2, Xanthan gum **198697-58-4**,

Epoxiconazole-pyraclostrobin mixture

RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL (Biological study); USES (Uses)

(growth anal. of 2 barley cultivars after elicitor and fungicide treatments)

IT **198697-58-4**, Epoxiconazole-pyraclostrobin mixture

RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL (Biological study); USES (Uses)

(growth anal. of 2 barley cultivars after elicitor and fungicide treatments)


RN 198697-58-4 HCAPLUS

CN Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester, mixt. with rel-1-[[(2R,3S)-3-(2-chlorophenyl)-2-(4-fluorophenyl)oxiranyl]methyl]-1H-1,2,4-triazole (9CI) (CA INDEX NAME)

CM 1

CRN 175013-18-0

CMF C19 H18 C1 N3 O4




CM 2

CRN 133855-98-8

CMF C17 H13 Cl F N3 O

Relative stereochemistry.



REFERENCE COUNT: 20 THERE ARE 20 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L69 ANSWER 3 OF 35 HCAPLUS COPYRIGHT 2006 ACS on STN
 ACCESSION NUMBER: 2006:343598 HCAPLUS Full-text
 DOCUMENT NUMBER: 144:364543
 TITLE: Synergistic fungicidal compositions comprising pyrazole derivatives
 INVENTOR(S): Walter, Harald; Corsi, Camilla; Ehrenfreund, Josef; Lamberth, Clemens; Tobler, Hans
 PATENT ASSIGNEE(S): Syngenta Participations AG, Switz.
 SOURCE: PCT Int. Appl., 142 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006037632	A1	20060413	WO 2005-EP10755	20051006
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,				

IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
 CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
 GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
 KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.:


GB 2004-22401

A 20041008

OTHER SOURCE(S):

MARPAT 144:364543

GI



AB Synergistic fungicidal compns. comprise a pyrazole derivative I (R1 = difluoromethyl or trifluoromethyl; Y = CHR2 or C:CH2; R2 = H or alkyl) or a I tautomer and component any of a very large number of known fungicides and insecticides.

CC 5-2 (Agrochemical Bioregulators)


IT 882164-63-8 882164-64-9 882164-65-0 882164-66-1 882164-67-2
 882164-68-3 882164-69-4 882164-70-7 882164-71-8 882164-72-9
 882164-73-0 **882164-74-1** 882164-75-2

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)
 (synergistic fungicidal composition)

IT 88283-41-4D, Pyrifenox, mixts. with pyrazole derivs. 89269-64-7D, Ferimzone, mixts. with pyrazole derivs. 90035-08-8D, Flocoumafen, mixts. with pyrazole derivs. 93091-95-3D, 14-Methyloctadec-1-ene, mixts. with pyrazole derivs. 95266-40-3D, Trinexapac-ethyl, mixts. with pyrazole derivs. 95465-99-9D, Sebufos, mixts. with pyrazole derivs. 96489-71-3D, Pyridaben, mixts. with pyrazole derivs. 96645-86-2D, Trunc-call, mixts. with pyrazole derivs. 98243-83-5D, Benalaxyl-M, mixts. with pyrazole derivs. 101007-06-1D, Acrinathrin, mixts. with pyrazole derivs. 101463-69-8D, Flufenoxuron, mixts. with pyrazole derivs. 101903-30-4D, Pefurazoate, mixts. with pyrazole derivs. 102851-06-9D, Tau-fluvalinate, mixts. with pyrazole derivs. 103055-07-8D, Lufenuron, mixts. with pyrazole derivs. 104030-54-8D, Carpropamid, mixts. with pyrazole derivs. 104078-12-8D, Dinoceton, mixts. with pyrazole derivs. 104653-34-1D, Difethialone, mixts. with pyrazole derivs. 105425-52-3D, mixts. with pyrazole derivs. 105700-87-6D, mixts. with pyrazole derivs. 105726-67-8D, Methylneodecanamide, mixts. with pyrazole derivs. 105779-78-0D, Pyrimidifen, mixts. with pyrazole derivs. 106917-52-6D, Flusulfamide, mixts. with pyrazole derivs. 108173-90-6D, Guazatine, mixts. with pyrazole derivs. 108307-07-9D, SSI-121, mixts. with pyrazole derivs. 110488-70-5D, Dimethomorph, mixts. with pyrazole derivs. 111872-58-3D, Halfenprox, mixts. with pyrazole derivs. 112143-82-5D, Triazuron, mixts. with pyrazole derivs. 113036-88-7D, Flucycloxuron, mixts. with pyrazole derivs. 113507-06-5D, Moxidectin, mixts. with pyrazole derivs. 115852-48-7D, Fenoxanil, mixts. with pyrazole derivs. 117428-22-5D, Picoxystrobin, mixts. containing 117704-25-3D, Doramectin, mixts. with pyrazole derivs. 119168-77-3D, Tebufenpyrad, mixts. with pyrazole derivs. 119515-38-7D, Picaridin, mixts. with pyrazole derivs. 120068-37-3D, Fipronil, mixts. with pyrazole derivs. 120116-88-3D, Cyazofamid, mixts. with pyrazole derivs.

120928-09-8D, Fenazaquin, mixts. with pyrazole derivs. 120955-77-3D, NC-184, mixts. with pyrazole derivs. 122453-73-0D, Chlorfenapyr, mixts. with pyrazole derivs. 123572-88-3D, Furametpyr, mixts. with pyrazole derivs. 123997-26-2D, Eprinomectin, mixts. with pyrazole derivs. 124495-18-7D, Quinoxifen, mixts. with pyrazole derivs. 125271-99-0D, mixts. with pyrazole derivs. 126448-41-7D, Acibenzolar, mixts. with pyrazole derivs. 126833-17-8D, Fenhexamid, mixts. with pyrazole derivs. 127277-53-6D, Prohexadione calcium, mixts. with pyrazole derivs. 129496-10-2D, mixts. with pyrazole derivs. 130000-40-7D, Thifluzamide, mixts. with pyrazole derivs. 130339-07-0D, Diflumermorim, mixts. with pyrazole derivs. 131807-57-3D, Famoxadone, mixts. with pyrazole derivs. 131860-33-8D, Azoxystrobin, mixts. containing 133408-50-1D, Metominostrobin, mixts. containing 134098-61-6D, Fenpyroximate, mixts. with pyrazole derivs. 135158-54-2D, Acibenzolar-S-methyl, mixts. with pyrazole derivs. 139920-32-4D, Diclocymet, mixts. with pyrazole derivs. 140923-17-7D, Iprovalicarb, mixts. with pyrazole derivs. 141517-21-7D, Trifloxystrobin, mixts. containing 143390-89-0D, Kresoxim-methyl, mixts. containing 145767-97-1D, Vaniliprole, mixts. with pyrazole derivs. 146659-78-1D, Polyoxin D zinc salt, mixts. with pyrazole derivs. 148477-71-8D, Spirodiclofen, mixts. with pyrazole derivs. 149877-41-8D, Bifenazate, mixts. with pyrazole derivs. 149961-52-4D, Dimoxystrobin, mixts. containing 153233-91-1D, Etoxazole, mixts. with pyrazole derivs. 156052-68-5D, Zoxamide, mixts. with pyrazole derivs. 161326-34-7D, Fenamidone, mixts. with pyrazole derivs. 162320-67-4D, SZI-121, mixts. with pyrazole derivs. 162490-88-2D, Sordidin, mixts. with pyrazole derivs. 162650-77-3D, Ethaboxam, mixts. with pyrazole derivs. **175013-18-0D**, Pyraclostrobin, mixts. containing 175217-20-6D, Silthiofam, mixts. with pyrazole derivs. 180409-60-3D, mixts. with pyrazole derivs. 183675-82-3D, Penthiopyrad, mixts. with pyrazole derivs. 185676-84-0D, MB 599, mixts. with pyrazole derivs. 188425-85-6D, Boscalid, mixts. with pyrazole derivs. 189278-12-4D, Proquinazid, mixts. with pyrazole derivs. 199062-81-2D, AZ 60541, mixts. with pyrazole derivs. 209861-58-5D, Acetoprole, mixts. with pyrazole derivs. 220119-17-5D, Selamectin, mixts. with pyrazole derivs. **220899-03-6D**, Metrafenone, mixts. with pyrazole derivs. **221201-92-9D**, mixts. with pyrazole derivs. 229977-93-9D, Fluacrypyrim, mixts. with pyrazole derivs. 239110-15-7D, mixts. with pyrazole derivs. 248593-16-0D, Orysastrobin, mixts. containing 255725-89-4D, Dicliphos, mixts. with pyrazole derivs. 272451-61-3D, mixts. with pyrazole derivs. 283594-90-1D, Spiromesifen, mixts. with pyrazole derivs. 325156-49-8D, mixts. with pyrazole derivs. 333385-29-8D, mixts. with pyrazole derivs. 348635-87-0D, mixts. with pyrazole derivs. 361377-29-9D, Fluoxastrobin, mixts. containing 374704-75-3D, mixts. with pyrazole derivs. 374726-62-2D, mixts. with pyrazole derivs. 413615-35-7D, Benthiavalicarb, mixts. with pyrazole derivs. 438450-41-0D, mixts. with pyrazole derivs. 500007-97-6D, mixts. with pyrazole derivs. 500008-00-4D, mixts. with pyrazole derivs. 500008-18-4D, mixts. with pyrazole derivs. 500008-20-8D, mixts. with pyrazole derivs. 500008-29-7D, mixts. with pyrazole derivs. 500008-36-6D, mixts. with pyrazole derivs. 500008-44-6D, mixts. with pyrazole derivs. 500008-45-7D, mixts. with pyrazole derivs. 500008-54-8D, mixts. with pyrazole derivs. 500008-55-9D, mixts. with pyrazole derivs. 500008-56-0D, mixts. with pyrazole derivs. 500008-60-6D, mixts. with pyrazole derivs. 500008-62-8D, mixts. with pyrazole derivs. 500008-66-2D, mixts. with pyrazole derivs. 500008-67-3D, mixts. with pyrazole derivs. 500008-74-2D, mixts. with pyrazole derivs. 500008-75-3D, mixts. with pyrazole derivs. 500010-08-2D, mixts. with pyrazole derivs. 500010-10-6D, mixts. with pyrazole derivs. 500011-03-0D, mixts. with pyrazole derivs. 500790-39-6D, mixts. with pyrazole derivs. 599194-51-1D, mixts. with


pyrazole derivs. 599197-38-3D, mixts. with pyrazole derivs.
 683777-13-1D, mixts. containing 683777-14-2D, mixts. containing 723746-91-
 6D,
 mixts. with pyrazole derivs. 723746-94-9D, mixts. with pyrazole derivs.
 723747-35-1D, mixts. with pyrazole derivs. 723747-41-9D, mixts. with
 pyrazole derivs. 723748-52-5D, mixts. with pyrazole derivs.
 736994-60-8D, mixts. with pyrazole derivs. 736994-61-9D, mixts. with
 pyrazole derivs. 736994-63-1D, mixts. with pyrazole derivs.
 736994-81-3D, mixts. with pyrazole derivs. 736994-82-4D, mixts. with
 pyrazole derivs. 874967-67-6D, mixts. with pyrazole derivs.
 875571-07-6D, mixts. with pyrazole derivs. 875571-08-7D, mixts. with
 pyrazole derivs. 875653-90-0D, Bacillus subtilis-PCNB-Metalaxyl mixture,
 mixts. with pyrazole derivs. 875655-14-4D, AVI 382, mixts. with pyrazole
 derivs. 875655-15-5D, Brofenvalerate, mixts. with pyrazole derivs.
 875655-36-0D, Butylpyridaben, mixts. with pyrazole derivs. 875656-61-4D,
 FMC 1137, mixts. with pyrazole derivs. 875656-67-0D, NNI 0250, mixts.
 with pyrazole derivs. 875656-68-1D, NNI 0101, mixts. with pyrazole
 derivs. 875656-99-8D, R 1492, mixts. with pyrazole derivs.
 875657-87-7D, SI 0009, mixts. with pyrazole derivs. 875658-61-0D, YI
 5302, mixts. with pyrazole derivs. 875658-89-2D, CS 708, mixts. with
 pyrazole derivs. 875690-85-0D, Dinocap-4, mixts. with pyrazole derivs.
 875695-92-4D, Dinocap-6, mixts. with pyrazole derivs. 881685-58-1D,
 mixts. containing 881914-21-2D, mixts. with pyrazole derivs. 882164-60-5D,
 mixts. with pyrazole derivs.
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)
 (synergistic fungicidal comps.)
 IT **882164-74-1**
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)
 (synergistic fungicidal composition)
 RN 882164-74-1 HCAPLUS
 CN 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-[1,2,3,4-
 tetrahydro-9-(1-methylethyl)-1,4-methanonaphthalen-5-yl]-, mixt. with
 rel-1-[[(2R,3S)-3-(2-chlorophenyl)-2-(4-fluorophenyl)oxiranyl]methyl]-1H-
 1,2,4-triazole (9CI) (CA INDEX NAME)
 CM 1
 CRN 881685-58-1
 CMF C20 H23 F2 N3 O




CM 2
 CRN 133855-98-8

CMF C17 H13 Cl F N3 O


Relative stereochemistry.




IT 175013-18-0D, Pyraclostrobin, mixts. containing 220899-03-6D
, Metrafenone, mixts. with pyrazole derivs. 221201-92-9D, mixts.
with pyrazole derivs.
RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)
(synergistic fungicidal compns.)
RN 175013-18-0 HCAPLUS
CN Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester (9CI) (CA INDEX NAME)



RN 220899-03-6 HCAPLUS
CN Methanone, (3-bromo-6-methoxy-2-methylphenyl) (2,3,4-trimethoxy-6-methylphenyl)- (9CI) (CA INDEX NAME)



RN 221201-92-9 HCAPLUS
CN Benzeneacetamide, N-[[[(cyclopropylmethoxy)amino][6-(difluoromethoxy)-2,3-difluorophenyl]methylene]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L69 ANSWER 4 OF 35 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2006:151202 HCAPLUS Full-text

DOCUMENT NUMBER: 144:207363

TITLE: Synergistic fungicidal compositions comprising pyrazole derivatives

INVENTOR(S): Walter, Harald; Neuenschwander, Urs; Zeun, Ronald; Ehrenfreund, Josef; Tobler, Hans; Corsi, Camilla; Lamberth, Clemens

PATENT ASSIGNEE(S): Syngenta Participations AG, Switz.

SOURCE: PCT Int. Appl., 104 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006015865	A1	20060216	WO 2005-EP8748	20050811
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.:


GB 2004-18047

A 20040812

OTHER SOURCE(S):

MARPAT 144:207363

GI



AB Synergistic fungicidal compns. comprise the pyrazole derivs. I (R1 = CF3 or CHF2; H or Me) or I tautomers and one of a very large number of known fungicides.

IC ICM A01N043-56

ICS A01N061-00; A01N043-78; A01N043-653; A01N043-54; A01N043-36

CC 5-2 (Agrochemical Bioregulators)

IT 30507-70-1D, mixts. with pyrazole derivs. 30525-89-4D, Paraformaldehyde, mixts. with pyrazole derivs. 30864-28-9D, Methacrifos, mixts. with pyrazole derivs. 31218-83-4D, Propetamphos, mixts. with pyrazole derivs. 32809-16-8D, Procymidone;, mixts. with pyrazole derivs. 33089-61-1D, Amitraz, mixts. with pyrazole derivs. 33399-00-7D, Bromfenvinfos, mixts. with pyrazole derivs. 33956-49-9D, Codlemone, mixts. with pyrazole derivs. 33956-61-5D, Tetranactin, mixts. with pyrazole derivs. 34010-21-4D, (Z)-Hexadec-11-en-1-yl acetate;, mixts. with pyrazole derivs. 34218-61-6D, Juvenile hormone II, mixts. with pyrazole derivs. 34264-24-9D, Promacyl, mixts. with pyrazole derivs. 34681-10-2D, Butocarboxim;, mixts. with pyrazole derivs. 34681-23-7D, Butoxycarboxim, mixts. with pyrazole derivs. 35153-15-2D, ;(Z)-Tetradec-9-en-1-ol;, mixts. with pyrazole derivs. 35367-31-8D, Penfluron, mixts. with pyrazole derivs. 35367-38-5D, Diflubenzuron;, mixts. with pyrazole derivs. 35400-43-2D, Sulprofos, mixts. with pyrazole derivs. 35554-44-0D, Imazalil;, mixts. with pyrazole derivs. 35628-00-3D, Ipsdienol, mixts. with pyrazole derivs. 35628-05-8D, Ipsenol, mixts. with pyrazole derivs. 36145-08-1D, Chlorprazophos;, mixts. with pyrazole derivs. 36734-19-7D, Iprodione, mixts. with pyrazole derivs. 37338-40-2D, mixts. with pyrazole derivs. 37407-77-5D, Chlormebuform, mixts. with pyrazole derivs. 37893-02-0D, Flubenzimine, mixts. with pyrazole derivs. 38260-54-7D, Etrimfos, mixts. with pyrazole derivs. 38260-63-8D, Lirimfos;, mixts. with pyrazole derivs. 38421-90-8D, (E)-Dec-5-en-1-yl acetate, mixts. with pyrazole derivs. 38524-82-2D, Trifenofos, mixts. with pyrazole derivs. 39148-24-8D, FosetylAluminum;, mixts. with pyrazole derivs. 39196-18-4D, Thiofanox, mixts. with pyrazole derivs. 39285-04-6D, Polynactin, mixts. with pyrazole derivs. 39300-45-3D, Dinocap, mixts. with pyrazole derivs. 39515-41-8D, Fenpropathrin, mixts. with pyrazole derivs. 39589-98-5D, Dimethyl carbate;, mixts. with pyrazole derivs. 39603-48-0D, Bisthiosemi, mixts. with pyrazole derivs. 40085-57-2D, Tazimcarb, mixts. with pyrazole derivs. 40596-80-3D, Triprene, mixts. with pyrazole derivs. 40626-35-5D, Heterophos, mixts. with pyrazole derivs. 41083-11-8D, Azocyclotin, mixts. with pyrazole derivs. 41096-46-2D, Hydroprene;, mixts. with pyrazole derivs. 41198-08-7D, Profenofos;, mixts. with pyrazole derivs. 41483-43-6D, Bupirimate;, mixts. with pyrazole derivs. 41814-78-2D, Tricyclazole;, mixts. with pyrazole derivs. 42588-37-4D, Kinoprene;, mixts. with pyrazole derivs. 42873-80-3D, Dofenapyn, mixts. with pyrazole derivs. 43121-43-3D, Triadimefon, mixts. with pyrazole derivs. 50471-44-8D, Vinclozolin, mixts. with pyrazole derivs. 50512-35-1D, Isoprothiolane, mixts. with pyrazole derivs. 50642-14-3D, Validamycin, mixts. with pyrazole derivs. 50767-79-8D, mixts. with pyrazole derivs. 50864-67-0D, Barium polysulfide, mixts. with pyrazole derivs. 50933-33-0D, Gossyplure, mixts. with pyrazole derivs. 51487-69-5D, Cloethocarb, mixts. with pyrazole derivs. 51596-10-2D, Milbemectin;, mixts. with pyrazole derivs. 51630-58-1D, Fenvalerate, mixts. with pyrazole derivs. 51877-74-8D, Biopermethrin, mixts. with pyrazole derivs. 52315-07-8D, Cypermethrin;, mixts. with pyrazole derivs. 52645-53-1D, Permethrin;, mixts. with pyrazole derivs. 52918-63-5D, Deltamethrin, mixts. with pyrazole derivs. 53084-58-5D, RA 17, mixts. with pyrazole derivs. 53112-28-0D, Pyrimethanil, mixts. with pyrazole derivs. 53231-49-5D, Copper Ammonium carbonate;, mixts. with pyrazole derivs. 53939-28-9D, (Z)-Hexadec-11-enal, mixts. with pyrazole derivs. 54364-62-4D, mixts. with pyrazole derivs. 54406-48-3D,

Empenthrin;; mixts. with pyrazole derivs. 54460-46-7D, Hexadecyl cyclopropanecarboxylate;; mixts. with pyrazole derivs. 54593-83-8D, Chlorethoxyfos, mixts. with pyrazole derivs. 54815-06-4D, α -Multistriatin, mixts. with pyrazole derivs. 55179-31-2D, Bitertanol, mixts. with pyrazole derivs. 55219-65-3D, Triadimenol, mixts. with pyrazole derivs. 55285-14-8D, Carbosulfan;; mixts. with pyrazole derivs. 55406-53-6D, Iodocarb, mixts. with pyrazole derivs. 55600-59-4D, Isolane, mixts. with pyrazole derivs. 55814-41-0D, Mepronil, mixts. with pyrazole derivs. 56073-07-5D, Difenacoum;; mixts. with pyrazole derivs. 56073-10-0D, Brodifacoum;; mixts. with pyrazole derivs. 56716-21-3D, Hyquincarb;; mixts. with pyrazole derivs. 57018-04-9D, Tolclofosmethyl, mixts. with pyrazole derivs. 57127-42-1D, Chlorofenethol, mixts. with pyrazole derivs. 57369-32-1D, Pyroquilon, mixts. with pyrazole derivs. 57646-30-7D, Furalaxyl;; mixts. with pyrazole derivs. 57808-65-8D, Closantel, mixts. with pyrazole derivs. 57837-19-1D, Metalaxyl, mixts. with pyrazole derivs. 57960-19-7D, Acequinocyl;; mixts. with pyrazole derivs. 57966-95-7D, Cymoxanil;; mixts. with pyrazole derivs. 58481-70-2D, Dicresyl, mixts. with pyrazole derivs. 58769-20-3D, RU 15525;; mixts. with pyrazole derivs. 58810-48-3D, Ofurace, mixts. with pyrazole derivs. 60168-88-9D, Fenarimol, mixts. with pyrazole derivs. 60207-31-0D, Azaconazole, mixts. with pyrazole derivs. 60238-56-4D, Chlorthiophos, mixts. with pyrazole derivs. 60589-06-2D, Metoxadiazone;; mixts. with pyrazole derivs. 60799-74-8, Litlure; 61444-62-0D, Nifluridide;; mixts. with pyrazole derivs. 61654-54-4D, mixts. with pyrazole derivs. 61676-87-7D, CGA 50439, mixts. with pyrazole derivs. 62441-54-7D, Fentrifanil, mixts. with pyrazole derivs. 62850-32-2D, Fenothiocarb;; mixts. with pyrazole derivs. 62865-36-5D, Diclomezine, mixts. with pyrazole derivs. 63333-35-7D, Bromethalin, mixts. with pyrazole derivs. 63408-44-6D, (Z)-Eicos-13-en-10-one, mixts. with pyrazole derivs. 63771-69-7D, Zolaprosfos, mixts. with pyrazole derivs. 63837-33-2D, Diofenolan, mixts. with pyrazole derivs. 64726-91-6D, Japonilure, mixts. with pyrazole derivs. 65035-34-9D, Lineatin, mixts. with pyrazole derivs. 65128-96-3D, mixts. with pyrazole derivs. 65400-98-8D, Fenoxacrim, mixts. with pyrazole derivs. 65691-00-1D, Triarathene, mixts. with pyrazole derivs. 66063-05-6D, Pencycuron;; mixts. with pyrazole derivs. 66257-53-2D, Oxamate;; mixts. with pyrazole derivs. 66332-96-5D, Flutolanil;; mixts. with pyrazole derivs. 66952-49-6D, Methasulfocarb, mixts. with pyrazole derivs. 67306-00-7D, Fenpropidin, mixts. with pyrazole derivs. 67375-30-8D, Alphacypermethrin, mixts. with pyrazole derivs. 67485-29-4D, Hydramethylnon;; mixts. with pyrazole derivs. 67564-91-4D, Fenpropimorph;; mixts. with pyrazole derivs. 67747-09-5D, Prochloraz;; mixts. with pyrazole derivs. 68085-85-8D, Cyhalothrin;; mixts. with pyrazole derivs. 68359-37-5D, Betacyfluthrin;; mixts. with pyrazole derivs. 68523-18-2D, Fenpirithrin;; mixts. with pyrazole derivs. 68694-11-1D, Triflumizole;; mixts. with pyrazole derivs. 69327-76-0D, Buprofezin;; mixts. with pyrazole derivs. 69409-94-5D, Fluvalinate, mixts. with pyrazole derivs. 69770-45-2D, Flumethrin, mixts. with pyrazole derivs. 70124-77-5D, Flucythrinate, mixts. with pyrazole derivs. 70288-86-7D, Ivermectin, mixts. with pyrazole derivs. 70630-17-0D, Mefenoxam, mixts. with pyrazole derivs. 71422-67-8D, Chlorfluazuron;; mixts. with pyrazole derivs. 71626-11-4D, Benalaxyl, mixts. with pyrazole derivs. 71751-41-2D, Abamectin, mixts. with pyrazole derivs. 72269-48-8D, (E)-Tridec-4-en-1-yl acetate, mixts. with pyrazole derivs. 72459-58-6D, Triazoxide;; mixts. with pyrazole derivs. 72490-01-8D, Fenoxycarb;; mixts. with pyrazole derivs. 74738-17-3D, Fenpiclonil, mixts. with pyrazole derivs. 75491-92-8D, RU 25475, mixts. with pyrazole derivs. 75867-00-4D, Fenfluthrin;; mixts. with pyrazole derivs. 76280-91-6D, Tecloftalam, mixts. with pyrazole derivs. 76674-21-0D, Flutriafol, mixts. with pyrazole derivs. 77732-09-3D,

Oxadixyl;; mixts. with pyrazole derivs. 78587-05-0D, Hexythiazox, mixts. with pyrazole derivs. 78617-58-0D, mixts. with pyrazole derivs. 79622-59-6D, Fluazinam, mixts. with pyrazole derivs. 79983-71-4D, ; Hexaconazole, mixts. with pyrazole derivs. 80060-09-9D, Diafenthiuron;; mixts. with pyrazole derivs. 80844-07-1D, Etofenprox;; mixts. with pyrazole derivs. 81412-43-3D, Tridemorph, mixts. with pyrazole derivs. 81613-59-4D, Flupropadine;; mixts. with pyrazole derivs. 82560-54-1D, Benfuracarb;; mixts. with pyrazole derivs. 82657-04-3D, Bifenthrin, mixts. with pyrazole derivs. 83130-01-2D, Alanycarb, mixts. with pyrazole derivs. 83657-24-3D, Diniconazole, mixts. with pyrazole derivs. 83733-82-8D, Fosmethilan;; mixts. with pyrazole derivs. 84332-86-5D, Chlozolinate, mixts. with pyrazole derivs. 84466-05-7D, Amidoflumet;; mixts. with pyrazole derivs. 85509-19-9D, Flusilazole, mixts. with pyrazole derivs. 86003-55-6D, Nikkomycin, mixts. with pyrazole derivs. 86598-92-7D, Imibenconazole;; mixts. with pyrazole derivs. 86811-58-7D, Fluazuron;; mixts. with pyrazole derivs. 87130-20-9D, Diethofencarb;; mixts. with pyrazole derivs. 88283-41-4D, Pyrifenox;; mixts. with pyrazole derivs. 89269-64-7D, Ferimzone;; mixts. with pyrazole derivs. 90035-08-8D, Flocoumafen;; mixts. with pyrazole derivs. 90338-20-8D, Butathiofos, mixts. with pyrazole derivs. 91315-15-0D, Aldimorph, mixts. with pyrazole derivs. 93091-95-3D, 14-Methyloctadec-1-ene, mixts. with pyrazole derivs. 94361-06-5D, Cyproconazole;; mixts. with pyrazole derivs. 96489-71-3D, Pyridaben, mixts. with pyrazole derivs. 96645-86-2D, Truncall;; mixts. with pyrazole derivs. 98243-83-5D, Benalaxyl-M;; mixts. with pyrazole derivs. 98886-44-3D, Fosthiazate;; mixts. with pyrazole derivs. 101007-06-1D, Acrinathrin, mixts. with pyrazole derivs. 101463-69-8D, Flufenoxuron, mixts. with pyrazole derivs. 102851-06-9D, Taufluvalinate, mixts. with pyrazole derivs. 103055-07-8D, Lufenuron, mixts. with pyrazole derivs. 103782-08-7D, Allosamidin, mixts. with pyrazole derivs. 104030-54-8D, Carpropamid, mixts. with pyrazole derivs. 104078-12-8D, Dinocron, mixts. with pyrazole derivs. 104653-34-1D, Difethialone, mixts. with pyrazole derivs. 105425-52-3D, mixts. with pyrazole derivs. 105700-87-6D, mixts. with pyrazole derivs. 105726-67-8D, Methylneodecanamide, mixts. with pyrazole derivs. 105779-78-0D, Pyrimidifen, mixts. with pyrazole derivs. 106855-58-7D, GL-21, mixts. with pyrazole derivs. 106917-52-6D, Flusulfamide, mixts. with pyrazole derivs. 107534-96-3D, Tebuconazole;; mixts. with pyrazole derivs. 108173-90-6D, Guazatine, mixts. with pyrazole derivs. 108307-07-9D, SSI-121, mixts. with pyrazole derivs. 110235-47-7D, Mepanipyrin;; mixts. with pyrazole derivs. 110488-70-5D, Dimethomorph;; mixts. with pyrazole derivs. 111872-58-3D, Halfenprox, mixts. with pyrazole derivs. 112143-82-5D, Triazuron, mixts. with pyrazole derivs. 112281-77-3D, Tetraconazole;; mixts. with pyrazole derivs. 113036-88-7D, Flucycloxuron;; mixts. with pyrazole derivs. 113507-06-5D, Moxidectin;; mixts. with pyrazole derivs. 114369-43-6D, Fenbuconazole;; mixts. with pyrazole derivs. 115044-19-4D, mixts. with pyrazole derivs. 115852-48-7D, Fenoxanil, mixts. with pyrazole derivs. 116255-48-2D, Bromuconazole, mixts. with pyrazole derivs. 116714-46-6D, Novaluron;; mixts. with pyrazole derivs. 117428-22-5D, Picoxystrobin;; mixts. with pyrazole derivs. 117704-25-3D, Doramectin, mixts. with pyrazole derivs. 118134-30-8D, Spiroxamine;; mixts. with pyrazole derivs. 119168-77-3D, Fenpyrad, mixts. with pyrazole derivs. 119446-68-3D, Difenoconazole;; mixts. with pyrazole derivs. 119515-38-7D, Picaridin, mixts. with pyrazole derivs. 119791-41-2D, Emamectin, mixts. with pyrazole derivs. 120068-37-3D, Fipronil, mixts. with pyrazole derivs. 120116-88-3D, Cyazofamid, mixts. with pyrazole derivs. 120928-09-8D, Fenazaquin, mixts. with pyrazole derivs. 120955-77-3D, NC 184, mixts. with pyrazole derivs. 121552-61-2D, Cyprodinil;; mixts. with pyrazole derivs. 122453-73-0D, Chlorfenapyr, mixts. with pyrazole derivs. 123572-88-3D, Furametpyr;; mixts. with

pyrazole derivs. 123997-26-2D, Eprinomectin;; mixts. with pyrazole derivs. 124495-18-7D, Quinoxifen;; mixts. with pyrazole derivs. 125225-28-7D, Ipconazole, mixts. with pyrazole derivs. 126833-17-8D, Fenhexamid, mixts. with pyrazole derivs. 129496-10-2D, mixts. with pyrazole derivs. 130000-40-7D, Thifluzamide, mixts. with pyrazole derivs. 130339-07-0D, Diflumetorim;; mixts. with pyrazole derivs. 131341-86-1D, Fludioxonil, mixts. with pyrazole derivs. 131807-57-3D, Famoxadone, mixts. with pyrazole derivs. 131860-33-8D, Azoxystrobin, mixts. with pyrazole derivs. 131983-72-7D, Triticonazole;; mixts. with pyrazole derivs. 133408-50-1D, Metominostrobin, mixts. with pyrazole derivs. **133855-98-8D**, Epoxiconazole;; mixts. with pyrazole derivs. 134098-61-6D, Fenpyroximate;; mixts. with pyrazole derivs. 134633-32-2D, EL 1642, mixts. with pyrazole derivs. 135158-54-2D, Acibenzolar-S-methyl;; mixts. with pyrazole derivs. 136426-54-5D, Fluquinconazole;; mixts. with pyrazole derivs. 139920-32-4D, Diclocymet;; mixts. with pyrazole derivs. 140923-17-7D, Iprovalicarb, mixts. with pyrazole derivs. 141517-21-7D, Trifloxystrobin, mixts. with pyrazole derivs. 143390-89-0D, Kresoximmethyl, mixts. with pyrazole derivs. 143807-66-3D, Chromafenozide;; mixts. with pyrazole derivs. RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal compns.)

IT 145767-97-1D, Vaniliprole, mixts. with pyrazole derivs. 146659-78-1D, Polyoxin D zinc salt, mixts. with pyrazole derivs. 148477-71-8D, SpiroDiclofen, mixts. with pyrazole derivs. 149508-90-7D, Simeconazole;; mixts. with pyrazole derivs. 149877-41-8D, Bifenazate, mixts. with pyrazole derivs. 153233-91-1D, Etoxazole;; mixts. with pyrazole derivs. 155569-91-8D, Emamectin benzoate;; mixts. with pyrazole derivs. 156052-68-5D, Zoxamide, mixts. with pyrazole derivs. 160791-64-0D, ZXI 8901;; mixts. with pyrazole derivs. 161326-34-7D, Fenamidone;; mixts. with pyrazole derivs. 162320-67-4D, SZI 121, mixts. with pyrazole derivs. 162490-88-2D, Sordidin, mixts. with pyrazole derivs. 162650-77-3D, Ethaboxam;; mixts. with pyrazole derivs. 163269-30-5D, Bethoxazin, mixts. with pyrazole derivs. 168316-95-8D, Spinosad, mixts. with pyrazole derivs. **175013-18-0D**, Pyraclostrobin;; mixts. with pyrazole derivs. 175217-20-6D, Silthiofam, mixts. with pyrazole derivs. 178928-70-6D, Prothioconazole, mixts. with pyrazole derivs. 180409-60-3D, mixts. with pyrazole derivs. 183675-82-3D, Penthiopyrad, mixts. with pyrazole derivs. 185676-84-0D, MB 599, mixts. with pyrazole derivs. 188425-85-6D, Boscalid;; mixts. with pyrazole derivs. 199062-81-2D, AZ 60541, mixts. with pyrazole derivs. 201593-84-2D, Bistrifluron, mixts. with pyrazole derivs. 209861-58-5D, Acetoprole, mixts. with pyrazole derivs. 210880-92-5D, Clothianidin;; mixts. with pyrazole derivs. 211867-47-9D, mixts. with pyrazole derivs. 220119-17-5D, Selamectin, mixts. with pyrazole derivs. **220899-03-6D**, Metrafenone, mixts. with pyrazole derivs. **221201-92-9D**, mixts. with pyrazole derivs. 229977-93-9D, Fluacrypyrim;; mixts. with pyrazole derivs. 239110-15-7D, mixts. with pyrazole derivs. 240494-70-6D, Metofluthrin;; mixts. with pyrazole derivs. 255725-89-4D, Dicliphos, mixts. with pyrazole derivs. 271241-14-6D, Dimefluthrin, mixts. with pyrazole derivs. 272451-61-3D, mixts. with pyrazole derivs. 283594-90-1D, Spiromesifen;; mixts. with pyrazole derivs. 333385-29-8D, mixts. with pyrazole derivs. 361377-29-9D, Fluoxastrobin;; mixts. with pyrazole derivs. 374704-75-3D, mixts. with pyrazole derivs. 374726-62-2D, mixts. with pyrazole derivs. 413615-35-7D, Benthiavalicarb;; mixts. with pyrazole derivs. 438450-41-0D, mixts. with pyrazole derivs. 500007-97-6D, mixts. with pyrazole derivs. 500008-00-4D, mixts. with pyrazole derivs. 500008-18-4D, mixts. with pyrazole derivs. 500008-20-8D, mixts. with pyrazole derivs. 500008-29-7D, mixts. with pyrazole derivs. 500008-36-6D, mixts. with pyrazole derivs. 500008-44-6D, mixts. with


pyrazole derivs. 500008-45-7D, mixts. with pyrazole derivs.
 500008-54-8D, mixts. with pyrazole derivs. 500008-55-9D, mixts. with
 pyrazole derivs. 500008-56-0D, mixts. with pyrazole derivs.
 500008-60-6D, mixts. with pyrazole derivs. 500008-62-8D, mixts. with
 pyrazole derivs. 500008-66-2D, mixts. with pyrazole derivs.
 500008-67-3D, mixts. with pyrazole derivs. 500008-74-2D, mixts. with
 pyrazole derivs. 500008-75-3D, mixts. with pyrazole derivs.
 500010-08-2D, mixts. with pyrazole derivs. 500010-10-6D, mixts. with
 pyrazole derivs. 500011-03-0D, mixts. with pyrazole derivs.
 599197-38-3D, mixts. containing 736994-60-8D, mixts. with pyrazole derivs.
 736994-61-9D, mixts. with pyrazole derivs. 736994-63-1D, mixts. with
 pyrazole derivs. 736994-81-3D, mixts. with pyrazole derivs.
 736994-82-4D, mixts. with pyrazole derivs. 750643-57-3D, mixts. with
 pyrazole derivs. 874967-67-6D, mixts. containing 875571-02-1 875571-03-2
 875571-04-3 875571-05-4 875571-06-5 875571-07-6D, mixts. with
 pyrazole derivs. 875571-08-7D, mixts. with pyrazole derivs.
 875571-10-1D, mixts. with pyrazole derivs. 875571-11-2D, derivs., mixts.
 with pyrazole derivs. 875653-90-0D, Bacillus subtilis-PCNB-Metalaxyl
 mixture, mixture with pyrazole derivs. 875655-14-4D, AVI 382, mixts. with
 pyrazole derivs. 875655-15-5D, Brofenvalerate, mixts. with pyrazole
 derivs. 875655-36-0, Butylpyridaben 875656-61-4D, FMC 1137, mixts.
 with pyrazole derivs. 875656-67-0D, NNI 0250, mixts. with pyrazole
 derivs. 875656-68-1D, NNI 0101, mixts. with pyrazole derivs.
 875656-99-8D, R 1492, mixts. with pyrazole derivs. 875657-87-7, SI 0009
 875658-61-0D, YI 5302, mixts. with pyrazole derivs. 875658-89-2D, CS
 708, mixts. with pyrazole derivs. 875690-85-0D, Dinocap 4, mixts. with
 pyrazole derivs. 875695-92-4D, Dinocap 6, mixts. with pyrazole derivs.
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)
 (synergistic fungicidal compns.)

IT **133855-98-8D**, Epoxiconazole;, mixts. with pyrazole derivs.
175013-18-0D, Pyraclostrobin;, mixts. with pyrazole derivs.
220899-03-6D, Metrafenone, mixts. with pyrazole derivs.
221201-92-9D, mixts. with pyrazole derivs.
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)
 (synergistic fungicidal compns.)

RN 133855-98-8 HCAPLUS


CN 1H-1,2,4-Triazole, 1-[[[(2R,3S)-3-(2-chlorophenyl)-2-(4-fluorophenyl)oxiranyl]methyl]-, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 175013-18-0 HCAPLUS

CN Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester (9CI) (CA INDEX NAME)




RN 220899-03-6 HCAPLUS

CN Methanone, (3-bromo-6-methoxy-2-methylphenyl) (2,3,4-trimethoxy-6-methylphenyl)- (9CI) (CA INDEX NAME)



RN 221201-92-9 HCAPLUS

CN Benzeneacetamide, N-[[(cyclopropylmethoxy) amino] [6- (difluoromethoxy) -2,3-difluorophenyl]methylene]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L69 ANSWER 5 OF 35 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2005:1106849 HCAPLUS Full-text

DOCUMENT NUMBER: 143:361642

TITLE: Synergistic ternary fungicidal mixtures

INVENTOR(S): Tormo i Blasco, Jordi; Grote, Thomas; Scherer, Maria; Stierl, Reinhard; Strathmann, Siegfried; Schoefl, Ulrich

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 38 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 6

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005094583	A1	20051013	WO 2005-EP3213	20050326
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,				